

REFRESHING SPACES

Since 1920



WATER COOLERS & DRINKING FOUNTAINS


TABLE OF CONTENTS

- 3** The Elkay® Story / Ordering and Contact
- 4** Certifications
- 5** Applications
- 6** Water Filtration
- 8** Enhanced ezH2O® Bottle Filling Stations
- 10** EZ Bottle Filling Stations and Coolers
- 13** Mechanically Activated
- 16** Vandal-Resistant
- 19** Architectural
- 27** In-Wall / Surface Mount
- 29** Outdoor
- 33** Specialty Fountains
- 35** Legacy Fountains and Water Coolers
- 40** Remote Water Chillers
- 42** Accessories



WATER COOLERS AND DRINKING FOUNTAINS

Elkay began in a small 2,100 square foot space on the North side of Chicago. It was 1920, a time when the quality of a business was solely measured by customer service, integrity and, above all, craftsmanship. Today, Elkay is one of the largest manufacturers in commercial fountains. We're also leading the charge with sustainable innovations, like our ezH2O Bottle Filling Stations. Through the years, our core values have not budged an inch, remaining just as strong as they were nearly a century ago.



SALES REPRESENTATIVES:

Whatever your needs, we have a water cooler or fountain that will meet your specifications and exceed your expectations. For the name of your nearest Elkay Sales Rep or wholesaler, visit "Where to buy" on Elkay.com or call Elkay Customer Care at the number below.



TECHNICAL SERVICES:

Our trained technicians are available during normal business hours for any troubleshooting, maintenance or setup help you may need. When calling, have the model and serial number information from the data label available.

PRODUCT SPECIFICATION SHEETS: Visit Elkay.com for specification sheets on bottle filling stations, coolers and fountains.

Elkay Service Information: 800.476.4106

ELKAY WATER COOLERS AND DRINKING FOUNTAINS: CERTIFIED SAFE



• Elkay water coolers, drinking fountains and remote chillers are certified NSF/ANSI 61 & 372. Elkay filters are certified to NSF/ANSI 42 & 53.



• Elkay drinking water products are manufactured with lead-free materials and comply with Federal and State lead legislation requirements.



• Most Elkay electrically-operated water coolers and chillers are certified to UL 399 and CSA/CAN 22.2 No. 120 to comply with Canadian and U.S. requirements.



• Flexi-Guard® Safety Bubbler features contemporary styling and a special microbial agent that is infused into the bubbler for an extra level of security.



• Elkay electronically-operated bottle filling stations are certified to UL 399 and CAN/CSA 22.2 No. 120 to comply with US and Canadian requirements.



• Elkay's Savanna, Illinois plant is ISO 9001 registered.



RECYCLED CONTENT

At Elkay, we believe in doing our part to help sustain the earth's natural resources. Our products are manufactured with recycled content whenever possible. The amount of recycled content varies from product to product.



BUILT IN THE USA

Our fountains, coolers, chillers and bottle filling stations are proudly built in Savanna, Illinois.



ADA compliant when properly installed.

Schools and Universities:

Choose from durable units that are ADA compliant and support sustainability.

Hospitality Environments:

Convenient for guest and staff use.

Indoor Fitness Centers:

Hands-free units provide a rapid fill and minimize the spread of bacteria.

Office Buildings:

Architectural designs to complement all building styles.

Airports:

Offers travelers the convenience of quickly filling reusable water bottles.

Parks and Recreation Areas:

Vandal-resistant outdoor units available with pet-friendly options.

Pool Environments:

Corrosion-resistant materials prevent rust for years of use.

Healthcare Facilities:

Antimicrobial and touchless units minimize the spread of bacteria.

Government Buildings:

Choose from durable units that are ADA compliant and support sustainability.

Public Facilities:

Vandal-resistant units look great after years of use.





Water Filtration

WATER FILTRATION

Provide clean, safe drinking water. Our filters reduce harmful contaminants and discoloration from incoming water. They are designed for quick and easy installation and replacement with a simple ¼ turn of the filter.



51299C

WaterSentry® VII Cooler and Fountain Filter

- 1,500-gallon replacement filter for coolers and fountains.
 - Reduces lead, chlorine, taste and odor, Class 1 particulate.
-



51300C

WaterSentry Plus ezH2O Filter

- 3,000-gallon replacement filter for bottle filling stations.
 - Reduces lead, chlorine, taste and odor, Class 1 particulate.
-



WSF6000R-2PK

WaterSentry Fresh Filter - 2 Pack

Ideal for new construction. Check with your local municipality for water filtration guidelines.

- 6,000-gallon replacement filter for bottle filling stations coolers and fountains.
- Reduces chlorine, taste and odor, Class 1 particulate.



Enhanced Bottle Filling Stations

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities



Bottle Filling Station with ADA Cooler

Introducing our new line of enhanced indoor bottle filling stations with an updated look. These units have all the features of our standard ezH2O bottle filling stations with some added ingenuity.

Easy Installation

Now just one power connection. Everything arrives in one box.

Energy-Saving Feature

Turns off refrigeration at programmed times to lower energy use.

Smart System

Unit self-monitors to maintain optimal performance.

Easy Filter Changes

FillSafe™ sensors automatically reset the filter monitor light from red to green so users always know they are getting filtered water.

Display Screen

Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.

Low-Energy LED Light

Assists users when filling bottles and illuminates dark hallways.

- Bottle filler features sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Quick fill rate - 1.1 to 1.5 GPM.
- Versatile bi-level cooler design allows for standard cooler installation of high-left/low-right or the alternate, reverse cooler installation.
- Rated for indoor use.



AVAILABLE OPTIONS

- Filtered /non-filtered.
- Single/bi-level.
- Light gray granite/stainless steel.

ACCESSORIES

- WaterSentry filters (see page 7).



EZ Bottle Fillers and Water Coolers

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities



Bottle Filling Station with ADA Cooler

The ezH2O bottle filling station pairs up with the Elkay EZ. It features the Flexi-Guard Safety Bubbler and convenient push-button operation.

- Bottle filler features sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Quick fill rate - 1.1 to 1.5 GPM.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- Versatile bi-level cooler design allows for standard cooler installation of high-left/low-right or the alternate, reverse cooler installation.
- Rated for indoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated standard/green refrigerated/non-refrigerated.
- Flexi-Guard bubbler/vandal-resistant bubbler.
- Light gray granite/stainless steel.

ACCESSORIES

- WaterSentry filters (see page 7).

EZ MODELS

Wall Mount ADA Cooler

The Elkay EZ models are our most popular water cooler.

- Standard with Flexi-Guard Safety Bubbler.
 - Convenient push-button operation.
 - Extra deep basin minimizes splashing and features an integral drain for a cleaner basin.
 - Rated for indoor use.
-



AVAILABLE OPTIONS

- Filtered/non-filtered.
 - Single/bi-level.
 - Refrigerated standard/green refrigerated/non-refrigerated.
 - Flexi-Guard bubbler/vandal-resistant bubbler.
 - Light gray granite/stainless steel.
-



ACCESSORIES

- WaterSentry filters (see page 7).



Mechanically Activated Bottle Fillers and Water Coolers

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities



MECHANICALLY ACTIVATED



Bottle Filling Station with ADA Cooler

The ezH2O works alongside our mechanical cooler. Convenient hydration with a mechanical cooler means water is always available. Self-closing, mechanically-activated push bars on the front and sides operate even during power disruptions.

- Bottle filler features sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Quick fill rate - 1.1 to 1.5 GPM.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- Rated for indoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated/non-refrigerated.
- Flexi-Guard bubbler/vandal-resistant bubbler.
- Light gray granite/stainless steel.

ACCESSORIES

- WaterSentry filters (see page 7).

MECHANICALLY ACTIVATED

Wall Mount ADA Cooler

Ideal for areas prone to service disruptions.

- Easy-to-operate front and side push-bar activation.
- Standard with Flexi-Guard Safety Bubbler.
- Rated for indoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated/non-refrigerated.
- Flexi-Guard bubbler/vandal-resistant bubbler.
- Light gray granite/stainless steel.

ACCESSORIES

- WaterSentry filters (see page 7).





Vandal-Resistant

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- Office Buildings
- Outdoor Parks
- Healthcare Facilities
- Government/Municipal
- Public Facilities
- Heavy-Use Installations

VANDAL-RESISTANT



Vandal-Resistant Bottle Filling Station with ADA Cooler

Full stainless steel construction is durable and easy to clean.

- Vandal-resistant cooler and bottle filling station in a consolidate space-saving ADA compliant design.
- Push-button activation with automatic 20-second shut-off timer on bottle filler.
- Quick fill rate - 1.1 to 1.5 GPM.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- Filtered models rated for indoor use; non-filtered rated for indoor and outdoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated/non-refrigerated.

ACCESSORIES

- WaterSentry filters (see page 7).

VANDAL-RESISTANT



Wall Mount ADA Cooler

Features tamper-resistant push-button activation and one-piece bubbler.

- Single-action mechanical push button is self-closing.
 - Vandal-resistant pinned Torx screws.
 - Filtered models rated for indoor use; non-filtered rated for indoor and outdoor use.
-

AVAILABLE OPTIONS

- Filtered/non-filtered.
 - Single/bi-level.
 - Refrigerated/non-refrigerated.
 - Frost resistant/standard.
-



ACCESSORIES

- WaterSentry filters (see page 7).



Architectural SwirlFlo®

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- High-End Architectural Buildings
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities



ARCHITECTURAL SWIRLFLO®



Bottle Filling Station Paired with ADA Fountain

Complete water station including the Elkay ezH2O Bottle Filling Station and SwirlFlo Green fountain.

- Bottle filler features sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- In-wall refrigeration with back panel.
- Rated for indoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated standard/green refrigerated/non-refrigerated.



ACCESSORIES

- WaterSentry filters (see page 7).
- Cane apron (see page 43).
- In-wall carrier (see page 44).
- Access panel (see page 44).

ARCHITECTURAL SWIRLFLO®



EDFPB114C

ADA Fountain

Features sleek styling with a contoured oval basin designed to provide a splash-resistant surface.

- Vandal-resistant front push button provides easy operation.
 - Flexi-Guard Safety Bubbler is standard.
 - Rated for indoor use.
-



EDFPB117C

AVAILABLE OPTIONS

- Filtered/non-filtered.
 - Single/bi-level.
 - Refrigerated/non-refrigerated.
 - Flexi-Guard bubbler/vandal-resistant bubbler.
-



ERPBM8K

ACCESSORIES

- WaterSentry filters (see page 7).
 - Mounting frame (see page 43).
 - In-wall carrier (see page 44).
-



ERPBM28K



Architectural
Soft Sides®

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- High-End Architectural Buildings
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities

Bottle Filling Station Paired with Soft Sides® Fountain

Complete in-wall, recessed water station includes recessed bottle filler and architectural water fountain.



LZWS-EDFP217K

- Bottle filler features sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Quick fill rate - 1.1 to 1.5 GPM.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- Rated for indoor use.

AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- Refrigerated/non-refrigerated.



LZWS-SS8K

ACCESSORIES

- WaterSentry filters (see page 7).
- Cane apron (see page 43).
- Access panel (see page 44).

ARCHITECTURAL SOFT SIDES®



EDFP214C

ADA Fountain

Soft Sides® architectural drinking fountains feature softly rounded corners and a contoured basin designed to provide a splash-resistant surface.



EDFP217C

- Flexi-Guard Safety Bubbler is standard.
 - Attractive curved profile offers safe, unobstructed access.
 - Vandal-resistant front push button provides easy operation.
 - Integral P-trap included.
 - Removable louvered front ventilating grill encloses refrigeration and plumbing (refrigerated models).
 - Filtered models rated for indoor use. Non-filtered, vandal-resistant bubbler models rated for outdoor use.
-



ERFPM8K

AVAILABLE OPTIONS

- Filtered/non-filtered.
 - Single/bi-level.
 - Refrigerated/non-refrigerated.
 - Flexi-Guard bubbler/vandal-resistant bubbler.
-

ACCESSORIES

- WaterSentry filters (see page 7).
- Cane apron (see page 43).
- In-wall mounting frame (see page 43).



ERFPM28K

ARCHITECTURAL SLIMLINE® SOFT SIDES®



ADA Fountain

Slimline® Soft Sides® architectural drinking fountains feature softly rounded corners and a contoured basin designed to provide a splash-resistant surface.

- Slim profile is ideal for installations where active children will be present.
- Vandal-resistant front push button provides easy operation.
- Flexi-Guard Safety Bubbler is standard.
- Curved profile offers safe, unobstructed access (non-refrigerated models).
- Removable louvered front ventilating grill encloses refrigeration and plumbing (refrigerated models).
- Filtered models rated for indoor use.
Non-filtered, vandal-resistant bubbler models rated for outdoor use.



AVAILABLE OPTIONS

- Filtered/non-filtered.
- Flexi-Guard bubbler/vandal-resistant bubbler.
- Freeze resistant/standard resistant.
- Refrigerated/non-refrigerated.

ACCESSORIES

- WaterSentry filters (see page 7).

ARCHITECTURAL SOFT SIDES®



Indoor/Outdoor Single, Bi-level and Multi-Station Composite Fountain

Soft Sides® composite drinking fountains are made from a durable solid surface and durable nonporous material that has been awarded with a US Department of Agriculture BioPreferred™ designation.

- Curved profile is ideal for installations where active children will be present.
 - Vandal-resistant front push button provides easy operation.
 - Contoured basin minimizes splashing.
 - Filtered models rated for indoor use.
Non-filtered, vandal-resistant bubbler models rated for outdoor use.
-



AVAILABLE OPTIONS

- Single/bi-level/multi-station.
 - Flexi-Guard bubbler/vandal-resistant bubbler.
 - Freeze resistant/standard resistant.
-



ACCESSORIES

- WaterSentry filters (see page 7).
- In-wall carrier mounting frames (see page 44).



In-Wall / Surface Mount

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- High-End Architectural Buildings
- Office Buildings
- Healthcare Facilities
- Government/Municipal
- Public Facilities

IN-WALL / SURFACE MOUNT



In-Wall Bottle Filling Station

In-wall design is fully recessed.

Surface Mount Bottle Filling Station

Designed for applications with limited wall depth.



- Sanitary, no-touch sensor activation with automatic 20-second shut-off timer.
- Quick fill rate - 1.1 to 1.5 GPM.
- Our Green Ticker™ counts the quantity of 20 oz. plastic bottles of water served; without the plastic bottles.
- Features LED filter monitor to indicate when the filter needs replacing.
- Rated for indoor use.

AVAILABLE OPTIONS

In-wall

- Filtered/non-filtered.
- Refrigerated/non-refrigerated.

Surface Mount

- Filtered/non-filtered.
- Sensor/mechanically activated.
- Electrical power/battery power.

ACCESSORIES

- WaterSentry filters (see page 7).



Outdoor

IDEAL FOR

- Schools and Universities
- Outdoor and Pet-Friendly Parks
- Public Facilities
- Government/Municipal



LK4405BFRED



LK4400BFFRKBLU



LK4420BF1UDBEVG

Bottle Filling Stations

Outdoor tubular wall-mounted and pedestal bottle fillers are ideal for parks and recreational areas.

- Constructed from heavy duty 1/4" thick cold rolled steel.
- Vandal-resistant bubbler with push-button activation.
- Quick fill rate is 1.1 GPM.
- Powder-coated exterior over a specialized corrosion-resistant primary coating to provide superior protection from the elements.
- Pet fountain features slow drainage for easy drinking.

AVAILABLE OPTIONS

- Wall mount, freestanding single, bi-level, triple stations and pet fountains.
- (SFRK) sanitary freeze resistant/(FRK) freeze resistant/standard.
- Available in 12 finish colors.



ACCESSORIES FOR PEDESTAL MODELS

- Locking hose bib (see page 43).
- Non-locking hose bib (see page 43).
- Direct bury kit (see page 43).



LK4405ORN

Wall Mount, Pedestal and ADA Pedestal Fountains

Attractive and durable design that's ideal for outdoor park pavillions, park pools, schools and buildings of all types.



LK4400DBGRY

- Constructed from heavy duty 1/4" thick cold rolled steel.
- Vandal-resistant bubbler with push-button activation.
- Powder-coated exterior over a specialized corrosion-resistant primary coating to provide superior protection from the elements.
- Pet fountain features slow drainage for easy drinking.

AVAILABLE OPTIONS

- Wall mount, freestanding single, bi-level, triple stations and pet fountains.
- (SFRK) sanitary freeze resistant/(FRK) freeze resistant/standard.
- Available in 12 finish colors. See color chart on previous page.



LK4420PUR

ACCESSORIES FOR PEDESTAL MODELS

- Locking hose bib (see page 43).
- Non-locking hose bib (see page 43).
- Direct bury kit (see page 43).

OUTDOOR



LK4593

Stone Drinking Fountains

Outdoor stone aggregate wall-mounted and pedestal fountains are ideal for parks and recreational areas.

- Weather-resistant stone aggregate finish.
 - Vandal-resistant bubbler.
 - Single-stream push-button bubbler.
 - Rust-resistant stainless steel access door with vandal-resistant screws.
-



LK4591

AVAILABLE OPTIONS

- Freeze resistant/standard resistant.
- Wall mount, single and dual stations.



LK4595



Specialty Fountains

IDEAL FOR

- Outdoor Parks
- Public Facilities
- Government/Municipal

SPECIALTY FOUNTAINS



DRKR10C

Countertop Drinking Fountain

- Durable stainless steel basin is contoured to minimize splashing.
 - Push button, self-closing bubbler with pressure regulator.
-



EDF15R

Bracket Drinking Fountain

- Durable stainless steel basin.
 - Chrome-plated exposed fittings for appearance and added durability.
 - Push button, self-closing bubbler with pressure regulator.
-



EDF210C

Multi-Station Drinking Fountains

- Stream-splitter basin minimizes splashing.
 - Flexi-Guard antimicrobial safety bubbler comes standard.
 - Vandal-resistant bottom cover plate included.
-

AVAILABLE OPTIONS

- Some models available with circular or oval basin.
- Flexi-Guard bubbler/vandal-resistant bubbler.
- Some models available with two or three stations.
- Some models available with remote operated push-button activation.



EDF310C



Legacy Fountains and Water Coolers

IDEAL FOR

- Schools and Universities
- Hospitality
- Indoor Gym/Fitness
- Public Facilities
- Office Buildings
- Healthcare Facilities
- Government/Municipal

LEGACY

Wall Mount Drinking Fountain

Fully recessed units provide a space-saving design.

- Includes fully recessed fountain and chiller.
 - Deeply recessed backsplash provides ample headroom.
 - Front push bar is self-closing and features raised letters for the blind.
 - Stream-splitter basin minimizes splashing.
 - Flexi-Guard antimicrobial safety bubbler complements styling of cooler and is keyed into position to prevent rotation.
-



AVAILABLE OPTIONS

- Some models available with: Cuspidor, cup dispenser or glass filler.
 - Mounting frame.
-

ACCESSORIES

- WaterSentry filters (see page 7).



Wall Mount Semi-recessed Water Coolers

Simulated semi-recessed space-saving design.

- Front push bar is self-closing and features raised letters for the blind.
- Stream-splitter basin minimizes splashing.
- Flexi-Guard antimicrobial safety bubbler complements styling of cooler and is keyed into position to prevent rotation.

AVAILABLE OPTIONS

- Refrigerated/non-refrigerated.
- Some models available in four colors.
- Some models available with glass filler.



ACCESSORIES

- WaterSentry filters (see page 7).

LEGACY



EWA14L1Z

Wall Mount Water Coolers

Classic style wall-mounted cooler.

- Flexi-Guard Safety Bubbler is keyed into position to prevent rotation.
 - Optional 1,500-gallon capacity WaterSentry VII filter.
 - Cascade basin minimizes splashing.
 - Removable panels for easy servicing.
-

AVAILABLE OPTIONS

- Filtered/non-filtered.
 - Single/bi-level.
 - A variety of GPH options; refrigerated/non-refrigerated.
 - Flexi-Guard bubbler/Vandal-resistant bubbler.
 - Cabinet available in four colors.
-




EWCA14L1Z

ACCESSORIES

- WaterSentry filters (see page 7).



HEW3L1Z



Space-ette™ Floor Model Cooler

Space-ette water cooler offers a slim profile for installations with limited space.

- Trim, space-saving design.
- Flexi-Guard antimicrobial safety bubbler complements styling of cooler and is keyed into position to prevent rotation.
- Removable panels for easy servicing.



Deluxe Water Cooler

Traditional, classic styling looks good in any setting. Cascade basin minimizes splashing. Removable panels for easy servicing.

- Flexi-Guard antimicrobial safety bubbler complements styling of cooler and is keyed into position to prevent rotation.
- Removable front panel for easy access.

AVAILABLE OPTIONS

- Filtered/non-filtered.
- Single/bi-level.
- A variety of GPH options; refrigerated/non-refrigerated.
- Cabinet available in four colors.
- Some models available with hot/cold service.

ACCESSORIES

- WaterSentry filters (see page 7).



Remote Water Chillers

IDEAL FOR

- Indoor/Outdoor Fountains

REMOTE WATER CHILLERS

Remote Chillers

Remote water chillers convert standard drinking fountains into a water cooler.

- Galvanized steel cabinet.
 - Hermetically sealed compressor.
-



ECH8

AVAILABLE OPTIONS

- Variety of GPH options and high-efficiency green units available.
-



ER101Y

ACCESSORIES

- Chiller shelves.
- Louvered grill.



ERS11Y



Accessories



ACCESSORIES



Bubblers

Replacement styles for any need.



Mounting Frames

Frames for attaching in-wall style coolers and fountains.
For single and bi-level models.



Outdoor Accessories

For additional functionality of specific outdoor style units.

- Non-locking hose bib.
- Locking hose bib.
- Direct bury kit.



Cane Aprons

For use in specific bi-level applications.

ACCESSORIES



Glass Fillers

For additions to certain water coolers and fountains.



In-Wall Carrier Mounting

For in-wall carrier style fountains and coolers.
For single and bi-level models.



Access Panel


For architectural fountains and coolers (shown with SwirlFlo ezH2O).



Throughout the history of the Elkay Plumbing Products Division, the leadership and vision of Elkay's founders has always been maintained: provide exceptional customer service, high quality standards and continued design and technological innovations.

At Elkay, we are always looking for ways to make great products even better. Superior quality and popular features combine with a vast array of available options, allowing our customer to find the right water cooler, drinking fountain or bottle filling station for any application.

ELKAY[®]





ELKAY®

Home Office:

2222 Camden Court | Oak Brook, Illinois 60523

630.574.8484

Service Information: 800.476.4106

When calling, have the model and serial number information
from the data label available.

©2016 Elkay Manufacturing Company

Note: This catalog supercedes all previously printed catalogs.

 Printed in the U.S.A. on recycled paper

Continued product improvements makes specifications and products subject to change without notice.

F-4617