


Foodservice Product Offerings



Weldbilt Scullery Sinks

- Superior quality 14-gauge, Type 304 stainless steel.
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens.
- Sink compartments have welded 1/4" radius coved corner construction; ground smooth for easy cleaning.
- Channel rim design with 2" apron, slanting sanitary turn under and inward sloping rim to minimize spillage.
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing.
- Sink polished to a uniform Lustrous Satin finish.
- Sink compartment pitched to drain.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet.
- Carries NSF International certification.





Optional Accessories

SSD24 24" Detachable Drainboard

Single compartment - no drainboard				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
WNSF81242	27"	27-1/2"	24"	24"
WNSF81302	33"	27-1/2"	30"	24"
WNSF81362	39"	27-1/2"	36"	24"




WNSF81242

Single compartment - left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124L2	49-1/2"	27-1/2"	24"	24"	24"
WNSF8130L2 	55-1/2"	27-1/2"	30"	24"	24"
WNSF8136L2 	61-1/2"	27-1/2"	36"	24"	24"





WNSF8124L2

Single compartment - right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124R2	49-1/2"	27-1/2"	24"	24"	24"
WNSF8130R2	55-1/2"	27-1/2"	30"	24"	24"
WNSF8136R2 	61-1/2"	27-1/2"	36"	24"	24"












WNSF8124R2

Single compartment - left and right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124LR2	72"	27-1/2"	24"	24"	24"
WNSF8130LR2 	78"	27-1/2"	30"	24"	24"
WNSF8136LR2 	84"	27-1/2"	36"	24"	24"












WNSF8124LR2

Double compartment - no drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	
WNSF82302  	33"	27-1/2"	15"	24"	
WNSF82362 	39"	27-1/2"	18"	24"	
WNSF82422  	45"	27-1/2"	21"	24"	
WNSF82482 	51"	27-1/2"	24"	24"	
WNSF82542  	57"	27-1/2"	27"	24"	
WNSF82602 	63"	27-1/2"	30"	24"	









WNSF82482

Double compartment - left drainboard						
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8230L2  	55-1/2"	27-1/2"	15"	24"	24"	
WNSF8236L2  	61-1/2"	27-1/2"	18"	24"	24"	
WNSF8248L2  	73-1/2"	27-1/2"	24"	24"	24"	
WNSF8254L2  	79-1/2"	27-1/2"	27"	24"	24"	
WNSF8260L2 	85-1/2"	27-1/2"	30"	24"	24"	









WNSF8248L2

Double compartment - right drainboard						
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8230R2 	55-1/2"	27-1/2"	15"	24"	24"	
WNSF8236R2 	61-1/2"	27-1/2"	18"	24"	24"	
WNSF8248R2 	73-1/2"	27-1/2"	24"	24"	24"	
WNSF8254R2  	79-1/2"	27-1/2"	27"	24"	24"	
WNSF8260R2 	85-1/2"	27-1/2"	30"	24"	24"	



WNSF8248R2

Double compartment - left and right drainboard						
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8230LR2 	78"	27-1/2"	15"	24"	24"	
WNSF8236LR2  	84"	27-1/2"	18"	24"	24"	
WNSF8248LR2 	96"	27-1/2"	24"	24"	24"	
WNSF8254LR2 	105"	27-1/2"	27"	24"	24"	
WNSF8260LR2 	108"	27-1/2"	30"	24"	24"	









WNSF8248LR2

Triple compartment - no drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	
WNSF83454 	48"	27-1/2"	15"	24"	
WNSF83544 	57"	27-1/2"	18"	24"	
WNSF83604  	63"	27-1/2"	20"	24"	
WNSF83724 	75"	27-1/2"	24"	24"	








WNSF83544

Triple compartment - left drainboard						
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8345L4  	70-1/2"	27-1/2"	15"	24"	24"	
WNSF8354L4  	79-1/2"	27-1/2"	18"	24"	24"	
WNSF8372L4  	97-1/2"	27-1/2"	24"	24"	24"	







WNSF8354L4

Triple compartment - right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345R4  	70-1/2"	27-1/2"	15"	24"	24"
WNSF8354R4 	79-1/2"	27-1/2"	18"	24"	24"
WNSF8372R4  	97-1/2"	27-1/2"	24"	24"	24"



WNSF8345R4


Triple compartment - left and right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345LR4 	93"	27-1/2"	15"	24"	24"
WNSF8354LR4 	102"	27-1/2"	18"	24"	24"
WNSF8360LR4 	108"	27-1/2"	20"	24"	24"
WNSF8372LR4 	120"	27-1/2"	24"	24"	24"



WNSF8345LR4

Rigidbilt Scullery Sinks




- 16-gauge, Type 304 stainless steel.
- Large die-drawn sink compartments pitched to drain.
- Seamless drawn 3-1/2" radius coved corners.
- Exposed surfaces blended into a Lustrous Satin finish.
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage.
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime.
- 2" thick backsplash to allow for plumbing.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs with cross-brace supports.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage.



Single compartment - no drainboard				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
RNSF81182	27"	29-3/4"	18"	24"
RNSF81242	33"	29-3/4"	24"	24"





RNSF81182

Single compartment - left and right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8118LR2  	57"	29-3/4"	18"	24"	19-1/2"
RNSF8124LR2 	63"	29-3/4"	24"	24"	19-1/2"





RNSF8118LR2

Double compartment - no drainboard				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
RNSF82362	47-1/4"	29-3/4"	18"	24"
RNSF82482  	59-1/4"	29-3/4"	24"	24"







RNSF82362

Double compartment - left and right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8236LR2	77-1/4"	29-3/4"	18"	24"	19-1/2"
RNSF8248LR2  	89-1/4"	29-3/4"	24"	24"	19-1/2"




RNSF8236LR2

Triple compartment - no drainboard				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
RNSF83544  	67-1/2"	29-3/4"	18"	24"
RNSF83724  	85-1/2"	29-3/4"	24"	24"



RNSF83544




Triple compartment - left and right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8354LR4	97-1/2"	29-3/4"	18"	24"	19-1/2"
RNSF8372LR4 	115-1/2"	29-3/4"	24"	24"	19-1/2"



RNSF8354LR4

Dependabilt Scullery Sinks, 16 Gauge

- 16 Gauge 300 Series Stainless Steel Construction
- 10", 12" or 14" deep bowls with 3/4" covered corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 9" or 10" backsplash with tile ledge for easy installation.



1 Compartment - 12" deep bowl

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
1C18X18-0X	23"	23-3/4"	18"	18"
1C18X24-0X	23"	29-3/4"	18"	24"
1C24X24-0X	29"	29-3/4"	24"	24"



1C18X24-0X

1 Compartment - 12" deep bowl, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
1C18X18-L-18X	38-1/2"	23-3/4"	18"	18"	18"
1C24X24-L-24X	50-1/2"	29-3/4"	24"	24"	24"



1C18X24-L-18X

1 Compartment - 12" deep bowl, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
1C18X18-R-18X	38-1/2"	23-3/4"	18"	18"	18"
1C24X24-R-24X	50-1/2"	29-3/4"	24"	24"	24"



1C18X24-R-18X

1 Compartment - 12" deep bowl, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
1C18X18-2-18X	54"	29-3/4"	18"	18"	18"
1C18X24-2-24X	66"	29-3/4"	18"	24"	24"
1C24X24-2-24X	72"	29-3/4"	24"	24"	24"



1C18X18-2-18X

1 Compartment - 14" deep bowl

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
14-1C16X20-0X	21"	25-3/4"	16"	20"
14-1C18X24-0X	23"	29-3/4"	18"	24"
14-1C22X22-0X	27"	27-3/4"	22"	22"
14-1C24X24-0X	29"	29-3/4"	24"	24"



14-1C16X20-0X

1 Compartment - 14" deep bowl, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-1C16X20-L-18X	36-1/2"	25-3/4"	16"	20"	18"
14-1C18X24-L-18X	38-1/2"	29-3/4"	18"	24"	18"



14-1C16X20-L-18X

1 Compartment - 14" deep bowl, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-1C16X20-R-18X	36-1/2"	25-3/4"	16"	20"	18"
14-1C18X24-R-18X	38-1/2"	29-3/4"	18"	24"	18"



14-1C16X20-R-18X

1 Compartment - 14" deep bowl, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-1C16X20-2-18X	52"	25-3/4"	16"	20"	18"



14-1C16X20-2-18X

2 Compartments - 12" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
2C18X18-0X	43"	23-3/4"	18"	18"
2C18X24-0X	43"	29-3/4"	18"	24"
2C24X24-0X	55"	29-3/4"	24"	24"



2C18X24-0X

2 Compartments - 12" deep bowls, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
2C18X18-L-18X	58-1/2"	23-3/4"	18"	18"	18"
2C18X18-L-24X	64-1/2"	23-3/4"	18"	18"	24"



2C18X24-L-18X

2 Compartments - 12" deep bowls, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
2C18X18-2-18X	74"	23-3/4"	18"	18"	18"
2C18X18-2-24X	86"	23-3/4"	18"	18"	24"
2C18X24-2-18X	74"	29-3/4"	18"	24"	18"
2C24X24-2-24X	98"	29-3/4"	24"	24"	24"



2C18X24-2-18X

2 Compartments - 14" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
14-2C16X20-0X	39"	25-3/4"	16"	20"
14-2C18X24-0X	43"	29-3/4"	18"	24"



14-2C16X20-0X

2 Compartments - 14" deep bowls, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-2C18X24-L-18X	58-1/2"	29-3/4"	18"	24"	18"



2 Compartments - 14" deep bowls, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-2C16X20-2-18X	70"	25-3/4"	16"	20"	18"
14-2C18X24-2-18X	74"	29-3/4"	18"	24"	18"
14-2C24X24-2-24X	98"	29-3/4"	24"	24"	24"



14-2C16X20-2-18X

3 Compartments - 10" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
3C10X14-0X	39"	19-3/4"	10"	14"
3C12X16-0X	45"	21-3/4"	12"	16"



3C10X14-0X

3 Compartments - 12" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
3C18X18-0X	63"	23-3/4"	18"	18"
3C18X24-0X	63"	29-3/4"	18"	24"



3C18X24-0X

3 Compartments - 10" deep bowls, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
3C10X14-L-12X	48-1/2"	19-3/4"	10"	14"	12"



3C10X14-L-12X

3 Compartments - 10" deep bowls, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
3C10X14-R-12X	48-1/2"	19-3/4"	10"	14"	12"



3C10X14-R-12X

3 Compartments - 10" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
3C10X14-2-12X	58"	19-3/4"	10"	14"	12"
3C10X14-2-16X	66"	19-3/4"	10"	14"	16"
3C12X16-2-12X	64"	21-3/4"	12"	16"	12"
3C12X16-2-16X	72"	21-3/4"	12"	16"	16"



3C10X14-2-12X

3 Compartments - 12" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
3C16X20-2-18X	88"	25-3/4"	16"	20"	18"
3C18X18-2-18X	94"	23-3/4"	18"	18"	18"
3C18X18-2-24X	106"	29-3/4"	18"	18"	24"
3C18X24-2-18X	94"	29-3/4"	18"	24"	18"
3C18X24-2-24X	106"	29-3/4"	18"	24"	24"
3C24X24-2-24X	124"	29-3/4"	24"	24"	24"



3C18X24-2-18X

3 Compartments - 14" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
14-3C16X20-0X	57"	25-3/4"	16"	20"
14-3C18X24-0X	63"	29-3/4"	18"	24"
14-3C24X24-0X	81"	29-3/4"	24"	24"



14-3C16X20-0X

3 Compartments - 14" deep bowls, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-3C16X20-L-18X	72-1/2"	25-3/4"	16"	20"	18"



14-3C16X20-L-18X

3 Compartments - 14" deep bowls, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-3C16X20-R-18X	72-1/2"	25-3/4"	16"	20"	18"



14-3C16X20-R-18X

3 Compartments - 14" deep bowls, left and right drainboards


Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
14-3C16X20-2-18X	88"	25-3/4"	16"	20"	18"
14-3C16X20-2-24X	100"	25-3/4"	16"	20"	24"
14-3C18X24-2-18X	94"	29-3/4"	18"	24"	18"
14-3C18X24-2-24X	104"	29-3/4"	18"	24"	24"
14-3C20X20-2-20X	106"	25-3/4"	20"	20"	20"
14-3C24X24-2-24X	124"	29-3/4"	24"	24"	24"



14-3C16X20-2-18X

Dependabilt Scullery Sinks, 18 Gauge

- 18 Gauge 300 Series Stainless Steel Construction
- 11", 12" or 14" deep bowls with 3/4" covered corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 8" or 9" backsplash with tile ledge for easy installation.



1 Compartment - 11" deep bowl				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
SE1C18X18-0X	23"	23-3/4"	18"	18"
SE1C24X24-0X	29"	29-3/4"	24"	24"



SE1C18x18-0X

1 Compartment - 11" deep bowl, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SE1C18X18-L-18X	38-1/2"	23-3/4"	18"	18"	18"



SE1C18x18-L-18X

1 Compartment - 11" deep bowl, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SE1C18X18-R-18X	38-1/2"	23-3/4"	18"	18"	18"



SE1C18x18-R-18X

1 Compartment - 12" deep bowl				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
E1C16X20-0X	21"	25-3/4"	16"	20"
E1C20X20-0X	25"	25-3/4"	20"	20"
E1C24X24-0X	29"	29-3/4"	24"	24"



E1C16X20-0X

1 Compartment - 12" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
B1C18X18X	21"	21-1/2"	18"	18"
B1C18X21X	21"	24-1/2"	18"	21"
B1C24X24X	27"	27-1/2"	24"	24"



B1C24X24X

1 Compartment - 12" deep bowl, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E1C16X20-L-18X	36-1/2"	25-3/4"	16"	20"	18"
E1C20X20-L-20X	42-1/2"	25-3/4"	20"	20"	20"
E1C24X24-L-24X	50-1/2"	29-3/4"	24"	24"	24"



E1C16X20-L-18X

1 Compartment - 12" deep bowl, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E1C16X20-R-18X	36-1/2"	25-3/4"	16"	20"	18"
E1C20X20-R-20X	42-1/2"	25-3/4"	20"	20"	20"
E1C24X24-R-24X	50-1/2"	29-3/4"	24"	24"	24"



E1C16X20-R-18X

1 Compartment - 14" deep bowl				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
S1C18X18-0X	23"	23-3/4"	18"	18"
S1C24X24-0X	29"	29-3/4"	24"	24"



S1C18X18-0X

1 Compartment - 14" deep bowl, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-L-18X	38-1/2"	23-3/4"	18"	18"	18"



S1C18X18-L-18X

1 Compartment - 14" deep bowl, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-R-18X	38-1/2"	23-3/4"	18"	18"	18"



S1C18X18-R-18X

1 Compartment - 14" deep bowl, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-2-18X	54"	23-3/4"	18"	18"	18"



S1C18X18-2-18X

2 Compartments - 11" deep bowls, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SE2C18X18-2-18X	72"	23-3/4"	18"	18"	18"



SE2C18x18-2-18X

2 Compartments - 12" deep bowls				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
B2C18X21X	39"	24-1/2"	18"	21"
B2C24X24X	51"	27-1/2"	24"	24"
E2C16X20-0X	39"	25-3/4"	16"	20"
E2C20X20-0X	47"	25-3/4"	20"	20"
E2C24X24-0X	55"	29-3/4"	24"	24"



E2C16X20-0X

2 Compartments - 12" deep bowls, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E2C16X20-L-18X	54-1/2"	25-3/4"	16"	20"	18"



E2C16X20-L-18X

2 Compartments - 12" deep bowls, right drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E2C16X20-R-18X	54-1/2"	25-3/4"	16"	20"	18"



E2C16X20-R-18X

2 Compartments - 14" deep bowls, left drainboard					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S2C18X18-L-18X	56-1/2"	26-3/4"	18"	18"	18"



S2C18X18-L-18X

2 Compartments - 14" deep bowls, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S2C18X18-2-18X	72"	23-3/4"	18"	18"	18"



S2C18X18-2-18X

2 Compartments - 12" deep bowls, left and right drainboards					
Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E2C16X20-2-18X	70"	25-3/4"	16"	20"	18"
E2C20X20-2-20X	82"	25-3/4"	20"	20"	20"
E2C24X24-2-24X	98"	29-3/4"	24"	24"	24"



E2C16X20-2-18X

3 Compartments - 11" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SE3C18X18-2-18X	90"	23-3/4"	18"	18"	18"
SE3C24X24-2-24X	120"	29-3/4"	24"	24"	24"



SE3C18x18-2-18X

3 Compartments - 12" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
B3C12X21X	39"	24-1/2"	12"	21"
B3C18X21X	57"	24-1/2"	18"	21"
E3C16X20-0X	57"	25-3/4"	16"	20"
E3C24X24-0X	81"	29-3/4"	24"	24"



E3C16X20-0X

3 Compartments - 12" deep bowls, left drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E3C16X20-L-18X	72-1/2"	25-3/4"	16"	20"	18"



E3C16X20-L-18X

3 Compartments - 12" deep bowls, right drainboard

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E3C16X20-R-18X	72-1/2"	25-3/4"	16"	20"	18"



E3C16X20-R-18X

3 Compartments - 12" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E3C16X20-2-18X	88"	25-3/4"	16"	20"	18"
E3C20X20-2-20X	104"	25-3/4"	20"	20"	20"
E3C24X24-2-24X	124"	29-3/4"	24"	24"	24"



E3C16X20-2-18X

3 Compartments - 14" deep bowls, left and right drainboards

Model	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S3C18X18-2-18X	90"	23-3/4"	18"	18"	18"
S3C24X24-2-24X	120"	29-3/4"	24"	24"	24"



S3C18x18-2-18X

Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18 Gauge 300 Series Stainless Steel Construction
- Easy to clean and sanitize.
- 1-1/2" drain opening.
- NSF certified.

Splash mounted basic				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-14X	14"	16-1/2"	10"	12"
EHS-18X	18"	14-1/2"	14"	10"
SEHS-17X	17"	15"	14"	10"




EHS-14X

Splash mounted with knee valve				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-KVX	18"	14-1/2"	14"	10"



EHS-18-KVX

Splash mounted with pedestal base and foot valve				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-14-PEDX 	14"	16-1/2"	10"	12"
EHS-18-PEDX	18"	14-1/2"	14"	10"



EHS-14-PEDX

Splash mounted with side splashes				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-SSX	18"	14-1/2"	14"	10"



EHS-18-SSX

Splash mounted with side splashes, lever waste, overflow, and p-trap				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-SDX	18"	14-1/2"	14"	10"



EHS-18-SDX

Splash mounted with soap and towel dispenser				
Model	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-STDX 	18"	14-1/2"	14"	10"



EHS-18-STDX

300 Series Stainless Steel Drop-in Sinks

- 18 Gauge 300 Series Stainless Steel Construction
- 3-1/2" drain opening.
- Strainer and faucet included.
- NSF certified.

1 Compartment - 10" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
DI-1C-101410X	13-1/2"	19-1/2"	10"	14"



DI-1C-101410X

1 Compartment - 6" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
DI10126X	12"	16-3/4"	10"	12"



DI-10116

3 Compartments - 10" deep bowls

Model	Overall Length	Overall Width	Bowl Length	Bowl Width
DI-3C-101410X	37"	19-1/2"	10"	14"



DI-3C-101410

Floor Service Sinks

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.


Model	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	24"	20"	20"	16"
FLR-2X	32"	24"	28"	20"
FLR-3X	24"	20"	20"	16"
FLR-4X	32"	24"	28"	20"



FLR-3X

Work Tables Standard Series

- 16 Gauge 304 Series Stainless Steel Construction
- Two galvanized hat channels per table.
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet.
- Available with under shelf or cross bracing.
- Tables are shipped knocked down.
- Work tables larger than 72" have 6 legs.
- Backsplash models are 4" with 1" return.
- Carries NSF certification for foodservice application.



Flat top with stainless steel cross brace and legs		
Model	Overall Length	Overall Width
WT30X84-STSX	84"	30"



WT30X72-STSX

Flat top with stainless steel under shelf and legs		
Model	Overall Length	Overall Width
WT24S36-STSX	36"	24"
WT24S48-STSX	48"	24"
WT24S60-STSX	60"	24"
WT24S72-STSX	72"	24"
WT30S120-STSX	120"	30"
WT30S48-STSX	48"	30"
WT30S60-STSX	60"	30"
WT30S72-STSX	72"	30"
WT30S84-STSX	84"	30"



WT30S72-STSX



About Elkay

For more than 100 years, Elkay® Manufacturing has been making innovative products and providing exceptional customer care. Like your family, Elkay has values and traditions that endure. We take pride in offering reliable products that inspire change and leave the world a better place for generations to come.

Headquartered in Downers Grove, Illinois, Elkay is American owned and operated, providing thousands of jobs that support our families and communities. We are proud to be America's No. 1 selling kitchen sink company, as well as a leading manufacturer of award-winning water delivery products, including the ezH2O® bottle filling station.

ELKAY

1333 Butterfield Road, Suite 200 | Downers Grove, IL 60515
630.574.8484 | elkay.com | ©2021 Elkay Manufacturing Company

(rev. 8/21) F-5395-ELK