

# **Hands-free**Drinking Water Solutions



## BOTTLE FILLING STATIONS

DSSBF8S

This award-winning line of hands-free products provides a rapid fill of drinking water to quench thirst while reducing plastic water bottle waste.



All Elkay drinking water solutions are ADA-compliant when properly installed. See product specification sheet for details.

|             | On Wall        |  |          |              |                       |  |
|-------------|----------------|--|----------|--------------|-----------------------|--|
|             | Model          | Description  | Filtered | Refrigerated | Cooler Cabinet Finish |  |
|             | LZO8WSSK       |  | Yes      | Yes          | Stainless Steel       |  |
|             | LZO8WSLK       | ezH2O® Bottle Filling Station With   | Yes      | Yes          | Light Gray            |  |
|             | EZO8WSSK       | Single Cooler, Hands-free Activation                                       | No       | Yes          | Stainless Steel       |  |
| LZO8WSSK    | EZO8WSLK       |  | No       | Yes          | Light Gray            |  |
|             |                |  |          |              |                       |  |
|             | LZOTL8WSSK     |  | Yes      | Yes          | Stainless Steel       |  |
|             | LZOTL8WSLK     | ezH2O Bottle Filling Station and<br>Versatile Bi-level Cooler, Single      | Yes      | Yes          | Light Gray            |  |
|             | EZOTL8WSSK     | Hands-free Activation  | No       | Yes          | Stainless Steel       |  |
|             | EZOTL8WSLK     |  | No       | Yes          | Light Gray            |  |
| LZOTL8WSSK  |                |  |          |              |                       |  |
|             | LZOOTL8WSSK    |  | Yes      | Yes          | Stainless Steel       |  |
|             | LZOOTL8WSLK    | ezH2O Bottle Filling Station and<br>Versatile Bi-level Cooler, Dual Hands- | Yes      | Yes          | Light Gray            |  |
|             | EZOOTL8WSSK    | free Activation  | No       | Yes          | Stainless Steel       |  |
|             | EZOOTL8WSLK    |  | No       | Yes          | Light Gray            |  |
| LZOOTL8WSSK |                |  |          |              |                       |  |
|             | LZ8WSSSMC      | ezH2O Bottle Filling Station Surface<br>Mount, Hands-free Activation       | Yes      | Yes          | Stainless Steel       |  |
| (C)         | EZ8WSSSMC      | Mount, nanus-nee Activation  | No       | Yes          | Stainless Steel       |  |
| 9 6-        |                |  |          |              |                       |  |
|             | LZWSSM         | ezH2O Bottle Filling Station Surface<br>Mount, Hands-free Activation       | Yes      | No           | Stainless Steel       |  |
|             | EZWSSM         | Would, Hallus-Hee Activation   | No       | No           | Stainless Steel       |  |
| LZ8WSSSMC   |                |  |          |              |                       |  |
|             | In Wall        |  |          |              |                       |  |
|             | Model          | Description  | Filtered | Refrigerated | Cooler Cabinet Finish |  |
|             | LZWSM8K        | ezH2O In-wall Bottle Filling Station,                                      | Yes      | Yes          | Stainless Steel       |  |
|             | EZWSM8K        | Hands-free Activation  | No       | Yes          | Stainless Steel       |  |
| LZWSM8K     |                |  |          |              |                       |  |
|             | Floor Standing |  |          |              |                       |  |
|             | Model          | Description  | Filtered | Refrigerated | Cooler Cabinet Finish |  |
|             | DSSBF8S        | ezH2O Floor Standing Bottle Filling<br>Station, Hands-free Activation      | Yes      | Yes          | Stainless Steel       |  |

## COOLERS AND FOUNTAINS

LZOOSTL8SC

As a leading manufacturer of drinking water products, you'll find a large selection of touchless, sensor-activated water coolers in a variety of styles and configurations.



|           | On Wall    |   |          |              |                       |
|-----------|------------|---|----------|--------------|-----------------------|
|           | Model      | Description                             | Filtered | Refrigerated | Cooler Cabinet Finish |
|           | LZO8S      |   | Yes      | Yes          | Stainless Steel       |
|           | LZO8L      |   | Yes      | Yes          | Light Gray            |
|           | LZODS      |   | Yes      | No           | Stainless Steel       |
|           | LZODL      | Cooler, Wall Mount, Hands-free          | Yes      | No           | Light Gray            |
| LZO8S     | EZO8S      | Activation                              | No       | Yes          | Stainless Steel       |
|           | EZO8L      |   | No       | Yes          | Light Gray            |
|           | EZODS      |   | No       | No           | Stainless Steel       |
|           | EZODL      |   | No       | No           | Light Gray            |
| EZO8S     |            |   |          |              |                       |
| E2U8S     | LZOSTL8SC  | Versatile Cooler, Wall Mount, Bi-level, | Yes      | Yes          | Stainless Steel       |
|           | LZOSTL8LC  | Hands-free Activation                   | Yes      | Yes          | Light Gray            |
|           |            |   |          |              |                       |
|           | EZOSTL8SC  | Versatile Cooler, Wall Mount, Bi-level, | No       | Yes          | Stainless Steel       |
| LZOSTL8SC | EZOSTL8LC  | Hands-free Activation                   | No       | Yes          | Light Gray            |
| LZUSTL8SC |            |   |          |              |                       |
| a.        | LZOOSTL8SC |   | Yes      | Yes          | Stainless Steel       |
|           | LZOOSTL8LC | Versatile Cooler, Wall Mount, Bi-level, | Yes      | Yes          | Light Gray            |
|           | EZOOSTL8SC | Dual Hands-free Activation              | No       | Yes          | Stainless Steel       |
|           | EZOOSTL8LC |   | No       | Yes          | Light Gray            |



### Coolers and Fountains (continued) In Wall\*

|            | Model      | Description  | Filtered | Refrigerated | Features  |
|------------|------------|--|----------|--------------|---|
|            | ENOBM8K    | SwirlFlo® Fountain, ADA, Stainless                                     | No       | Yes          | Mounting Frame included                         |
|            | ENOB8K     | Steel, Hands-free Activation   | No       | Yes          | Order Mounting Frame MF100                      |
| ENOBM8K    | ENOBM28K   |  | No       | Yes          | Standard Bi-level<br>Includes Mounting Frame    |
|            | ENOBM28RAK | SwirlFlo Fountain, Bi-level Standard or Reverse, ADA, Stainless Steel, | No       | Yes          | Reverse Bi-level<br>Includes Mounting Frame     |
|            | ENOB28K    | Hands-free Activation  | No       | Yes          | Standard Bi-level<br>Order Mounting Frame MF200 |
|            | ENOB28RAK  |  | No       | Yes          | Reverse Bi-level<br>Order Mounting Frame MF200  |
| ENOBM28RAK |            |  |          |              |   |
|            | EROM8K     | Soft Sides® Fountain, ADA, Stainless                                   | No       | Yes          | Includes Mounting Frame                         |
|            | ERO8K      | Steel, Hands-free Activation   | No       | Yes          | Order Mounting Frame MF100                      |
|            | EROM28K    |  | No       | Yes          | Includes Mounting Frame                         |
|            | EROM28RAK  | Soft Sides Fountain, Bi-level  | No       | Yes          | Reverse Bi-level<br>Includes Mounting Frame     |
|            | ERO28K     | Standard or Reverse, ADA, Stainless<br>Steel, Hands-free Activation    | No       | Yes          | Standard Bi-level<br>Order Mounting Frame MF200 |
| ERO28K     | ERO28RAK   |  | No       | Yes          | Reverse Bi-level<br>Order Mounting Frame MF200  |

\* Order Retrofit Filtration System Kit EWF172 to convert from non-filtered to filtered.

|          |             | " Order Ketroj                                | t riiti ation | System Kit EVVFT | 72 to convert from non-filtered to filtered. |
|----------|-------------|---|---------------|------------------|--|
|          | Floor Mount |   |               |                  |  |
|          | Model       | Description                                   | Filtered      | Refrigerated     | Cooler Cabinet Finish                        |
| EFOA8S1Z | EFOA8S1Z    | Cooler, Floor Mount, Hands-free<br>Activation | No            | Yes              | Stainless Steel                              |
|          | EFOA8L1Z    |   | No            | Yes              | Light Gray                                   |
|          | EFOA8T1Z    |   | No            | Yes              | Sandalwood                                   |

### **WATER DISPENSERS**

Designed to seamlessly fit any commercial or residential space, these filtered water dispensers provide cleaner, healthier drinking water, hands free.

LBWD06WHK

LBWD06BKK

LBWD06WHK



|           | In-wall Commer   | cial                                   |          |              |             |  |  |
|-----------|------------------|--|----------|--------------|-------------|--|--|
|           | Model            | Description                            | Filtered | Refrigerated | Glass Color |  |  |
| 42        | LBWDC00WHC       | ezH2O Liv® Pro Commercial Water        | Yes      | No           | Aspen White |  |  |
|           | LBWDC00BKC       | Dispenser, Hands-free Activation       | Yes      | No           | Midnight    |  |  |
| LBWD00WHC |                  |  |          |              |             |  |  |
|           | Built-in Residen | Built-in Residential                   |          |              |             |  |  |
|           | Model            | Description                            | Filtered | Refrigerated | Glass Color |  |  |
|           | LBWD00WHC        | ezH2O Liv Residential Water Dispenser, | Yes      | No           | Aspen White |  |  |
|           | LBWD00BKC        | Ambient Water, Hands-free Activation   | Yes      | No           | Midnight    |  |  |

ezH2O Liv Residential Water Dispenser, Chilled Water, Hands-free Activation



Yes

Yes

Yes

Yes

Aspen White

Midnight

## RETROFIT AND CONVERSION KITS

Transform existing drinking water products into more hygienic models with retrofit and conversion kits. Kits easily install on select Elkay EZ coolers and fountains, as well as outdoor bottle filling stations.



|  | 1000005923    | Bubbler Cap Conversion Kit:<br>Temporarily disable the bubbler on<br>a water cooler, while still providing<br>hydration with the bottle filling<br>station | N/A      | N/A      | Stainless Steel                 |
|--|---------------|--|----------|----------|---------------------------------|
| 1000005923   | 1000005817    | EZS/LZS to EZO Retrofit Kit: Convert<br>existing refrigerated ez push-bar<br>cooler to touchless, sensor-activated<br>unit                                 | N/A      | Yes*     | Light Gray                      |
| 1000005817   | 1000005921    | EZSD/LZSD to EZOD Retrofit Kit:<br>Convert existing non-refrigerated ez<br>push-bar cooler to touchless, sensor-<br>activated unit                         | N/A      | No       | Light Gray                      |
| The state of the s | LZWSRK        | Retrofit Bottle Filling Station Kit:<br>Add a filtered bottle filling station to<br>existing EZ cooler   | Yes      | N/A      | Stainless Steel                 |
| LZWSRK   | EZWSRK        | Retrofit Bottle Filling Station Kit: Add<br>a non-filtered bottle filling station to<br>existing EZ cooler   | No       | N/A      | Stainless Steel                 |
| - 1100   | LMABFWS-RF    | Retrofit Bottle Filling Station Kit: Add<br>a filtered bottle filling station to an<br>existing mechanical cooler  | Yes      | N/A      | Stainless Steel                 |
| LMABFWS-RF   | EMABFWS-RF    | Retrofit Bottle Filling Station Kit: Add<br>a non-filtered bottle filling station to<br>an existing mechanical cooler                                      | No       | N/A      | Stainless Steel                 |
|  | LZWS-ERPB8-RF | Retrofit SwirlFlo Fountain with Bottle<br>Filling: Add a filtered, refrigerated<br>bottle filling station to an existing<br>SwirlFlo fountain              | Yes      | Yes*     | Stainless Steel                 |
| LZWS-ERPB8-RF  | EZWS-ERPB8-RF | Retrofit SwirlFlo Fountain with<br>Bottle Filling: Add a non-filtered,<br>refrigerated bottle filling station to an<br>existing SwirlFlo fountain          | No       | Yes*     | Stainless Steel                 |
| 4481FPEVG  | 4481FP        | Foot Pedal Accessory: Add option for hands-free bottle filling activation to select outdoor tubular bottle filling stations                                | No<br>No | No<br>No | Evergreen Other standard colors |

### **FILTRATION**

Elkay filters are easy to connect and are self-contained replaceable cartridges, limiting exposure to contaminated media.



|  | Replacement Filters |                                   |                    |  |  |  |  |
|--|---------------------|-----------------------------------|--------------------|--|--|--|--|
|  | Model               | Description                       | Gallon<br>Capacity | Compatibility  | Features                                   |  |  |
| 51600C                                 | 51600C              | WaterSentry® High Capacity Filter | 6,000              | Enhanced ezH2O bottle filling stations   | Quick-disconnect,<br>1/4-turn installation |  |  |
| ************************************** | 51300C              | WaterSentry Filter                | 3,000              | Elkay ezH2O bottle<br>filling stations   | Quick-disconnect,<br>1/4-turn installation |  |  |
| 51300C                                 | 51300C_3PK          | WaterSentry Filters 3-pack        | 3,000              | Elkay ezH2O bottle<br>filling stations   | Quick-disconnect,<br>1/4-turn installation |  |  |
|  | 51300C_12PK         | WaterSentry Filters 12-pack       | 3,000              | Elkay ezH2O bottle<br>filling stations   | Quick-disconnect,<br>1/4-turn installation |  |  |
| 51299C                                 | 51299C              | WaterSentry Filter                | 1,500              | Elkay water<br>coolers, fountains  | Quick-disconnect,<br>1/4-turn installation |  |  |
| ERF750                                 | ERF750              | WaterSentry Residential Filter    | 750                | ezH2O Liv residential water<br>dispenser, Avado® 2-in-1<br>faucet with filtration<br>and Avado filtered<br>beverage faucet | Quick-disconnect,<br>1/4-turn installation |  |  |
| WSF600R                                | WSF6000R            | WaterSentry 6000 CTO Filter       | 6,000              | Countertop water<br>dispensers, and all ezH2O<br>bottle filling stations,<br>coolers and fountains.                        | Quick-disconnect,<br>1/4-turn installation |  |  |

|         | Retrofit Filtration System Kits |  |                    |  |  |  |  |
|---------|---------------------------------|--|--------------------|--|--|--|--|
| EWF3000 | Model                           | Description  | Gallon<br>Capacity | Compatibility  | Features   |  |  |
|         | EWF3000                         | WaterSentry Filter System Kit  | 3,000              | Elkay non-filtered bottle<br>filling stations  | Upgrade a non-filtered<br>Elkay bottle filling station<br>to a filtered unit                                   |  |  |
|         | EWF172                          | WaterSentry Filter System Kit  | 1,500              | Elkay non-filtered coolers<br>and fountains  | Upgrade a non-filtered<br>Elkay cooler<br>or fountain to a filtered<br>unit                                    |  |  |
|         | LF2                             | Aqua Sentry Filter System Kit  | 500                | Elkay non-filtered coolers and fountains   | Upgrade a non-filtered<br>Elkay cooler or fountain<br>to a filtered unit                                       |  |  |
|         | EF1500VRBMC                     | Vandal-resistant Retrofit Filtration Kit<br>With 1,500-gallon Lead and CTO Filter<br>and Filter Status Monitor, Stainless<br>Steel Enclosure, Versatile Mounting | 1,500              | Elkay or non-Elkay coolers<br>and fountains, non-filtered<br>bottle filling stations | Add a filtration system to<br>any existing non-filtered<br>water cooler, fountain or<br>bottle filling station |  |  |

EF1500VRBMC

Filters are tested and certified to NSF/ANSI 42 and 53 for the reduction of lead, cysts, Class I particulates, and chlorine taste and odor. WSF6000R is certified to reduce only chlorine taste and odor. Elkay filters are specifically designed to fit and have been certified for use within Elkay drinking water products.

### **CUSTOM SOLUTIONS**

When your needs for water delivery go beyond the norm, Elkay's got it covered. We can construct products to meet the specific needs of your business.

**Special Order SKUs** 

**Special Order SKUs** 

ECH8 Chiller



Refrigerated

Refrigerated

Yes

**Filtered** 

No

**Filtered** 

Yes

No



LRPBD28WSCX Back Panel With Bottle Filling Station ENOBD8CX Sensor-activated Fountain (qty. 2) MFWS210 Mounting Frame ECH8 Chiller

Yes Yes Stainless Steel

ezH2O Bottle Filling Station With Dual Sensor, Bi-level ADA SwirFlo, Hands-free Activation, 8 GPH

ERPBD28WSCX Back Panel With Bottle Filling Station ENOBD8CX Sensor-activated Fountain (qty. 2) MFWS210 Mounting Frame ECH8 Chiller

Yes Stainless Steel

**Cooler Cabinet Finish** 

Download spec sheet here

|   | 6- |
|---|----|
| ( |    |
|   |    |
|   |    |
|   |    |

LRPBD28WSCX Back Panel With Bottle Filling Station ENOBD8CX Sensor-activated Fountain EDFPB114C Standard Fountain MFWS210 Mounting Frame ECH8 Chiller

Yes Stainless Steel

ezH2O Bottle Filling Station With Bi-level ADA SwirlFlo, Handsfree Activation, 8 GPH ERPBD28WSCX Back Panel With Bottle Filling Station ENOBD8CX Sensor-activated Fountain EDFPB114C Standard Fountain MFWS210 Mounting Frame

Stainless Steel

**Cooler Cabinet Finish** 

Download spec sheet here

|   | • |
|---|---|
| 6 |   |
| 0 | 6 |

ezH2O Bottle Filling Station With Dual Sensor, Bi-level ADA SwirlFlo, Hands-free Activation, 8 GPH

Download spec sheet here

| Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |
|--|----------|--------------|-----------------------|
| EDFPBM117WSX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain (qty. 2)<br>MFWS200 Mounting Frame | Yes      | No           | Stainless Steel       |
| EDFPBM117WSX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain (qty. 2)<br>MFWS200 Mounting Frame | No       | No           | Stainless Steel       |

| Custom Solution   | ons (continued)  |          |              |                       |  |  |  |
|---|--|----------|--------------|-----------------------|--|--|--|
|   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |  |  |  |
|   | EDFPBM117WSX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>EDFPB114C Standard Fountain<br>MFWS200 Mounting Frame | Yes      | No           | Stainless Steel       |  |  |  |
| ezH2O Bottle Filling<br>Station With Single<br>Sensor, Bi-level, ADA<br>SwirlFlo, Hands-free<br>Activation, 8 GPH | EDFPBM117WSX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>EDFPB114C Standard Fountain<br>MFWS200 Mounting Frame | No       | No           | Stainless Steel       |  |  |  |
| _   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |  |  |  |
| Monomin (1997)  | ERPBD8WSCX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>MFWSF110 Mounting Frame<br>ECH8 Chiller                 | Yes      | Yes          | Stainless Steel       |  |  |  |
| ezH2O Bottle Filling<br>Station With Single<br>Sensor, ADA SwirlFlo,<br>Hands-free Activation,<br>8 GPH           | ERPBD8WSCX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>MFWSF110 Mounting Frame<br>ECH8 Chiller                 | No       | Yes          | Stainless Steel       |  |  |  |
|   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |  |  |  |
|   | EDFPBM114WS-FX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>MFWSF100 Mounting Frame                             | Yes      | No           | Stainless Steel       |  |  |  |
| ezH2O Bottle Filling<br>Station With Single<br>Sensor, ADA SwirlFlo,<br>Hands-free Activation,<br>8 GPH           | EDFPBM114WS-FX Back Panel With Bottle Filling Station<br>ENOBD8CX Sensor-activated Fountain<br>MFWSF100 Mounting Frame                             | No       | No           | Stainless Steel       |  |  |  |
| 2223 spec sheet here  |  |          |              |                       |  |  |  |
|   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |  |  |  |
|   | LVRC8WSX Cooler<br>LZWSR Bottle Filling Station  | Yes      | Yes          | Stainless Steel       |  |  |  |
| ezH2O Bottle Filling<br>Station With Single<br>ADA Cooler, Hands-<br>free Activation, 8 GPH                       | VRC8WSX Cooler<br>EZWSR Bottle Filling Station   | No       | Yes          | Stainless Steel       |  |  |  |

Download spec sheet here

| Custom Solutions (continued)  |  |          |              |                       |
|---|--|----------|--------------|-----------------------|
|   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |
|   | LVRCTL8WSCX Cooler (Lower)<br>LZWSR Bottle Filling Station | Yes      | Yes          | Stainless Steel       |
| ezH2O Bottle Filling<br>Station With Bi-level<br>ADA Cooler (lower),<br>Hands-free Activation,<br>8 GPH | VRCTL8WSCX Cooler (Lower)<br>EZWSR Bottle Filling Station  | No       | Yes          | Cooler Cabinet Finish |
|   |  |          |              |                       |
|   | Special Order SKUs   | Filtered | Refrigerated | Cooler Cabinet Finish |
|   | LVRCTL8WSCX Coolers (Dual)<br>LZWSR Bottle Filling Station | Yes      | Yes          | Stainless Steel       |
| ezH2O Bottle Filling  |  |          |              |                       |

No

Yes

Stainless Steel

ezH2O Bottle Filling Station With Bi-level ADA Cooler (dual), Hands-free Activation, 8 GPH

VRCTL8WSCX Coolers (Dual)

ESWSR Bottle Filling Station

Download spec sheet here



#### **Certifications**

We continuously test our products to high internal standards. Many of our products are tested and certified to one or more of the following independent certifications. Check individual product listings for more information.













#### **Built in the USA**

We use premium materials to build sinks and drinking water solutions in the United States.

#### **ABOUT ZURN ELKAY WATER SOLUTIONS**

Headquartered in Milwaukee, Wisconsin, Zurn Elkay Water Solutions is a growth-oriented, pure-play water business that designs, procures, manufactures, and markets what we believe is the broadest sustainable product portfolio of solutions to improve health, human safety, and the environment. The Zurn Elkay product portfolio includes professional grade water control and safety, water distribution and drainage, drinking water, finish plumbing, hygienic, environmental and site works products for public and private spaces.

