

ELKAY®

COMMERCIAL FAUCETS



INTRODUCTION.....	3
MODEL NUMBER MATRIX	4

1

FOODSERVICE | 5

3" -8" ADJUSTABLE CENTERS WALL MOUNT FAUCET	6-7
8" CENTERSET WALL MOUNT FAUCET	8-9
8" CENTERSET WITH EXPOSED DECK FAUCET	10-12
SINGLE HOLE WITH CONCEALED DECK FAUCET	12-13
8" CENTERSET WALL MOUNT FAUCET WITH FLEXIBLE STAINLESS STEEL HOSE...	13-15

2

LAVATORY | 16

4" CENTERSET WITH EXPOSED DECK AND INTEGRAL SPOUT FAUCET	17
8" CENTERSET WITH CONCEALED DECK FAUCET	18
METERED, DECK MOUNT FAUCET	18
ELECTRONIC DECK MOUNT FAUCET	19

3

SCRUB AND HAND WASH | 20

ELECTRONIC, DECK AND WALL MOUNT FAUCET	21
4" CENTERSET WITH EXPOSED DECK FAUCET	22-23
SINGLE HOLE WITH CONCEALED DECK FAUCET	24-25
8" CENTERSET WALL MOUNT FAUCET	26-27
8" CENTERSET WITH CONCEALED DECK FAUCET	28-30
SPOUTS	30
KNEE AND FOOT PEDAL VALVES	30

4

SERVICE AND UTILITY | 31

8" CENTERSET WALL MOUNT FAUCET	32-33
SINGLE HOLE WALL MOUNT FAUCET	34
3" -8" ADJUSTABLE CENTERS WALL MOUNT FAUCET	34-35
4" -8-3/8" ADJUSTABLE CENTERS WALL MOUNT FAUCET	35
8" CENTERSET WALL MOUNT FAUCET	35

TABLE OF CONTENTS

5

CLASSROOM | 36

SINGLE HOLE WITH SINGLE CONTROL.....	37-38
CLASSROOM BUBBLERS.....	39

6

GENERAL USE | 40

SINGLE HANDLE, CONCEALED DECK FAUCET	41
SINGLE HANDLE, PULL-OUT/PULL-DOWN/FLEXIBLE FAUCET	42
8" CENTERSET, CONCEALED DECK, WITH TWIN HANDLES FAUCET.....	43
8" CENTERSET, EXPOSED DECK MOUNT, WITH TWIN HANDLES FAUCET	43
SINGLE HANDLE, DECK MOUNT FAUCET	44
SINGLE HANDLE, BAR/HOSPITALITY FAUCET	44-45
TWIN HANDLE, BAR/HOSPITALITY FAUCET.....	45-46

7


ACCESSORIES | 47

Premiere Products. Exceptional Service.

Since 1920, Elkay® has been manufacturing innovative and award-winning plumbing products with our customers' needs top of mind. Today, we're the brand you can trust to deliver the highest quality sinks, top-of-the-line hydration solutions and reliable **commercial faucets**.

Every Elkay faucet is crafted from optimal-grade materials and engineered for maximum performance. Best of all, we have a commercial faucet for every application — each with the style, functionality and quality associated with the Elkay name.

What you can expect from Elkay commercial faucets:



Ideal look and fit:

Spouts available in many styles and sizes, for every application.



ADA compliant:

Handles meet accessibility requirements, offered in different styles.



Suited for high- and low-flow areas:

Standard 1.5 GPM vandal-resistant aerator with 2.2 and .5 GPM inserts and key.



Long-lasting ceramic disc cartridge:

Quarter turn for smooth operation; built to last longer than standard cartridges.



Durable, attractive finish:

Beautiful, polished chrome stands up to heavy-use environments.



Solid construction:

Made of brass throughout; certified to NSF/ANSI 61 standards.

Plus, all spouts, handles, aerators and disc cartridges* are interchangeable with other brands, making them versatile and easy to replace. Flip through and find the right faucet for your application and installation.

* Not compatible with Elkay Everyday faucets.

Model Number Matrix

As you browse this brochure, you'll notice many different model numbers (SKUs). Here's how to read them:



Basic Part Number*		
LK402	=	Deck Mount, 4" Dual Control
LK403	=	Deck Mount, 4" Dual Control With Pop Up
LK406	=	Exposed Deck Mount, 4"
LK422	=	Deck Mount, 4" Single Control
LK423	=	Deck Mount, 4" Single Control With Pop Up
LK500	=	Deck Mount, Single Hole
LK535	=	Deck Mount, Single Hole
LK800	=	Concealed Deck Mount, 8"
LK801	=	Concealed Deck Mount, 8" With Side Spray
LK804	=	Concealed Deck Mount, Fixed Spout, 8"
LK804F	=	Concealed Deck Mount, Fixed Spout, 8" Fancy
LK810	=	Exposed Deck Mount, 8"
LK811	=	Exposed Deck Mount, 8" With Side Spray
LK940	=	Wall Mount, 8" Chrome Finish
LK943C	=	Prerinse
LK945	=	Wall Mount, 3"-8" Adjustable Centers

Laminar Flow		
L	=	True Laminar Flow

Spout Type		
AT	=	Arc Tube
BP	=	Bucket Hook Polished
BR	=	Bucket Hook Rough

Spout Type (Cont'd)		
CF	=	Cast Fixed
DS	=	Double Swing
GN	=	Gooseneck
HA	=	High Arc
TS	=	Tube Spout
VS	=	Vented Spout

Spout Size			
08", 10", 12" or 14"	if		Arc Tube
03" or 07"	if		Bucket Hook Polished or Rough
06"	if		Cast Fixed
20"	if		Double Swing
04", 05" or 08"	if		Gooseneck
08" or 10"	if		High Arc
08"	if		Tube Spout
07"	if		Vented Spout

Handle Type And Size		
L2	=	Lever, 2", Two-piece
L4	=	Lever, 4", One-piece**
L7	=	Lever, 7", One-piece**
T4	=	Wristblade, 4", Two-piece
T6	=	Wristblade, 6", Two-piece

Wall Mount Inlet		
H	=	1/2" NPT Female Inlets
S	=	Shut Off Valve, 1/2" NPT Female Inlets
T	=	2" Offset, 1/2" Female Inlets

*Based off of the waterway.

**For LK422 and LK423 series only. SKUs vary and may not include laminar flow or wall mount inlet.



FOODSERVICE

Elkay foodservice faucets combine style with a variety of functions ideal for commercial kitchens. Choose from convenient pot fillers and pre-rinse faucets to wall- and deck-mounted sink faucets — all available in different handle and spout styles. Because there are so many options, we make it easy to find the right faucet for your foodservice application.

3"-8" Adjustable Centers Wall Mount Faucet

- Available with arc tube, double swing, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and 0.5 GPM inserts included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets with 2" offset.



LK945 with arc tube spout

Model	Spout Type	Handle Type
LK945AT08L2T	8" Arc Tube	2" Lever Handle
LK945AT08T4T	8" Arc Tube	4" Wristblade Handle
LK945AT08T6T	8" Arc Tube	6" Wristblade Handle
LK945AT10L2T	10" Arc Tube	2" Lever Handle
LK945AT10T4T	10" Arc Tube	4" Wristblade Handle
LK945AT10T6T	10" Arc Tube	6" Wristblade Handle
LK945AT12L2T	12" Arc Tube	2" Lever Handle
LK945AT12T4T	12" Arc Tube	4" Wristblade Handle
LK945AT12T6T	12" Arc Tube	6" Wristblade Handle
LK945AT14L2T	14" Arc Tube	2" Lever Handle
LK945AT14T4T	14" Arc Tube	4" Wristblade Handle
LK945AT14T6T	14" Arc Tube	6" Wristblade Handle



LK945 with double swing spout

Model	Spout Type	Handle Type
LK945DS20L2T	19-1/2" Double Swing	2" Lever Handle
LK945DS20T4T	19-1/2" Double Swing	4" Wristblade Handle
LK945DS20T6T	19-1/2" Double Swing	6" Wristblade Handle



3"-8" Adjustable Centers Wall Mount Faucet

LK945 with gooseneck spout 

Model	Spout Type	Handle Type
LK945GN04L2T	3-5/8" Gooseneck	2" Lever Handle
LK945GN04T4T	3-5/8" Gooseneck	4" Wristblade Handle
LK945GN04T6T	3-5/8" Gooseneck	6" Wristblade Handle
LK945GN05L2T	5-1/8" Gooseneck	2" Lever Handle
LK945GN05T4T	5-1/8" Gooseneck	4" Wristblade Handle
LK945GN05T6T	5-1/8" Gooseneck	6" Wristblade Handle
LK945GN08L2T	8" Gooseneck	2" Lever Handle
LK945GN08T4T	8" Gooseneck	4" Wristblade Handle
LK945GN08T6T	8" Gooseneck	6" Wristblade Handle



LK945GN08T4T

LK945 with high arc spout 

Model	Spout Type	Handle Type
LK945HA08L2T	8" High Arc	2" Lever Handle
LK945HA08T4T	8" High Arc	4" Wristblade Handle
LK945HA08T6T	8" High Arc	6" Wristblade Handle
LK945HA10L2T	10" High Arc	2" Lever Handle
LK945HA10T4T	10" High Arc	4" Wristblade Handle
LK945HA10T6T	10" High Arc	6" Wristblade Handle



LK945HA08T4T

LK945 with tube spout 

Model	Spout Type	Handle Type
LK945TS08L2T	8" Tube Spout	2" Lever Handle
LK945TS08T4T	8" Tube Spout	4" Wristblade Handle
LK945TS08T6T	8" Tube Spout	6" Wristblade Handle



LK945TS08L2T

8" Centerset Wall Mount Faucet

- Available with arc tube, double swing, high arc or tube spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and 0.5 GPM inserts included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut off valve available with some models.



LK940 with arc tube spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940AT08L2H	8" Arc Tube	2" Lever Handle	
LK940AT08L2S	8" Arc Tube	2" Lever Handle	■
LK940AT08T4H	8" Arc Tube	4" Wristblade Handle	
LK940AT08T4S	8" Arc Tube	4" Wristblade Handle	■
LK940AT08T6H	8" Arc Tube	6" Wristblade Handle	
LK940AT08T6S	8" Arc Tube	6" Wristblade Handle	■
LK940AT10L2H	10" Arc Tube	2" Lever Handle	
LK940AT10L2S	10" Arc Tube	2" Lever Handle	■
LK940AT10T4H	10" Arc Tube	4" Wristblade Handle	
LK940AT10T4S	10" Arc Tube	4" Wristblade Handle	■
LK940AT10T6H	10" Arc Tube	6" Wristblade Handle	
LK940AT10T6S	10" Arc Tube	6" Wristblade Handle	■
LK940AT12L2H	12" Arc Tube	2" Lever Handle	
LK940AT12L2S	12" Arc Tube	2" Lever Handle	■
LK940AT12T4H	12" Arc Tube	4" Wristblade Handle	
LK940AT12T4S	12" Arc Tube	4" Wristblade Handle	■
LK940AT12T6H	12" Arc Tube	6" Wristblade Handle	
LK940AT12T6S	12" Arc Tube	6" Wristblade Handle	■
LK940AT14L2H	14" Arc Tube	2" Lever Handle	
LK940AT14L2S	14" Arc Tube	2" Lever Handle	■
LK940AT14T4H	14" Arc Tube	4" Wristblade Handle	
LK940AT14T4S	14" Arc Tube	4" Wristblade Handle	■
LK940AT14T6H	14" Arc Tube	6" Wristblade Handle	
LK940AT14T6S	14" Arc Tube	6" Wristblade Handle	■



8" Centerset Wall Mount Faucet

LK940 with double swing spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940DS20L2H	19-1/2" Double Swing	2" Lever Handle	
LK940DS20L2S	19-1/2" Double Swing	2" Lever Handle	■
LK940DS20T4H	19-1/2" Double Swing	4" Wristblade Handle	
LK940DS20T4S	19-1/2" Double Swing	4" Wristblade Handle	■
LK940DS20T6H	19-1/2" Double Swing	6" Wristblade Handle	
LK940DS20T6S	19-1/2" Double Swing	6" Wristblade Handle	■



LK940DS20L2H

LK940 with high arc spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940HA08L2H	8" High Arc	2" Lever Handle	
LK940HA08L2S	8" High Arc	2" Lever Handle	■
LK940HA08T4H	8" High Arc	4" Wristblade Handle	
LK940HA08T4S	8" High Arc	4" Wristblade Handle	■
LK940HA08T6H	8" High Arc	6" Wristblade Handle	
LK940HA08T6S	8" High Arc	6" Wristblade Handle	■
LK940HA10L2H	10" High Arc	2" Lever Handle	
LK940HA10L2S	10" High Arc	2" Lever Handle	■
LK940HA10T4H	10" High Arc	4" Wristblade Handle	
LK940HA10T4S	10" High Arc	4" Wristblade Handle	■
LK940HA10T6H	10" High Arc	6" Wristblade Handle	
LK940HA10T6S	10" High Arc	6" Wristblade Handle	■



LK940HA08L2H

LK940 with tube spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940TS08L2H	8" Tube Spout	2" Lever Handle	
LK940TS08L2S	8" Tube Spout	2" Lever Handle	■
LK940TS08T4H	8" Tube Spout	4" Wristblade Handle	
LK940TS08T4S	8" Tube Spout	4" Wristblade Handle	■
LK940TS08T6H	8" Tube Spout	6" Wristblade Handle	
LK940TS08T6S	8" Tube Spout	6" Wristblade Handle	■



LK940TS08T4H

8" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK810 with arc tube spout

Model	Spout Type	Handle Type
LK810AT08L2	8" Arc Tube	2" Lever Handle
LK810AT08T4	8" Arc Tube	4" Wristblade Handle
LK810AT08T6	8" Arc Tube	6" Wristblade Handle
LK810AT10L2	10" Arc Tube	2" Lever Handle
LK810AT10T4	10" Arc Tube	4" Wristblade Handle
LK810AT10T6	10" Arc Tube	6" Wristblade Handle
LK810AT12L2	12" Arc Tube	2" Lever Handle
LK810AT12T4	12" Arc Tube	4" Wristblade Handle
LK810AT12T6	12" Arc Tube	6" Wristblade Handle
LK810AT14L2	14" Arc Tube	2" Lever Handle
LK810AT14T4	14" Arc Tube	4" Wristblade Handle
LK810AT14T6	14" Arc Tube	6" Wristblade Handle



LK810AT08L2

LK810 with 8" arc tube spout

Model	Spout Type	Handle Type	Side Spray
LK811AT08L2	8" Arc Tube	2" Lever Handle	■



LK811AT08L2

8" Centerset With Exposed Deck Faucet


LK810 with gooseneck spout

Model	Spout Type	Handle Type
LK810GN04L2	3-5/8" Gooseneck	2" Lever Handle
LK810GN04T4	3-5/8" Gooseneck	4" Wristblade Handle
LK810GN04T6	3-5/8" Gooseneck	6" Wristblade Handle
LK810GN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810GN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810GN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810GN08L2	8" Gooseneck	2" Lever Handle
LK810GN08T4	8" Gooseneck	4" Wristblade Handle
LK810GN08T6	8" Gooseneck	6" Wristblade Handle



LK810GN04T4

LK810 with laminar flow gooseneck spout

Model	Spout Type	Handle Type
LK810LGN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810LGN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810LGN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810LGN08L2	8" Gooseneck	2" Lever Handle
LK810LGN08T4 	8" Gooseneck	4" Wristblade Handle
LK810LGN08T6	8" Gooseneck	6" Wristblade Handle



LK810LGN05L2

LK810 with high arc spout

Model	Spout Type	Handle Type
LK810HA08L2	8" High Arc	2" Lever Handle
LK810HA08T4	8" High Arc	4" Wristblade Handle
LK810HA08T6	8" High Arc	6" Wristblade Handle
LK810HA10L2	10" High Arc	2" Lever Handle
LK810HA10T4	10" High Arc	4" Wristblade Handle
LK810HA10T6	10" High Arc	6" Wristblade Handle



LK810HA08T4

8" Centerset With Exposed Deck Faucet

LK810 with tube spout

Model	Spout Type	Handle Type
LK810TS08L2	8" Tube Spout	2" Lever Handle
LK810TS08T4	8" Tube Spout	4" Wristblade Handle
LK810TS08T6	8" Tube Spout	6" Wristblade Handle




LK810TS08T4

Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck or high arc spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK500 with arc tube spout

Model	Spout Type	Handle Type
LK500AT08L2 	8" Arc Tube	2" Lever Handle
LK500AT10L2	10" Arc Tube	2" Lever Handle
LK500AT12L2	12" Arc Tube	2" Lever Handle
LK500AT14L2	14" Arc Tube	2" Lever Handle



LK500AT08L2

LK500 with gooseneck spout

Model	Spout Type	Handle Type
LK500GN04L2	4" Gooseneck	2" Lever Handle
LK500GN04T4	4" Gooseneck	4" Wristblade Handle
LK500GN04T6	4" Gooseneck	6" Wristblade Handle
LK500GN05L2	5" Gooseneck	2" Lever Handle
LK500GN05T4	5" Gooseneck	4" Wristblade Handle
LK500GN05T6	5" Gooseneck	6" Wristblade Handle
LK500GN08L2	8" Gooseneck	2" Lever Handle
LK500GN08T4 	8" Gooseneck	4" Wristblade Handle
LK500GN08T6 	8" Gooseneck	6" Wristblade Handle



LK500GN05L2

Single Hole With Concealed Deck Faucet

LK500 with high arc spout

Model	Spout Type	Handle Type
LK500HA08L2	8" High Arc	2" Lever Handle
LK500HA08T4	8" High Arc	4" Wristblade Handle
LK500HA10L2	10" High Arc	2" Lever Handle



LK500HA08T4

Four Holes With Concealed Deck Faucet

LK801 with arc tube spout

Model	Spout Type	Handle Type	Side Spray
LK801AT08L2	8" Arc Tube	2" Lever Handle	■



LK801AT08L2

LK801 with gooseneck spout

Model	Spout Type	Handle Type	Side Spray
LK801GN08L2	8" Gooseneck	2" Lever Handle	■



LK801GN08L2

Single Hole Deck Mount With Flexible Stainless Steel Hose

- 2" lever handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.6 GPM spray head; 1.2 GPM spray head on low flow models.
- Chrome finish.
- 44" flexible stainless steel hose; 60" hose on LK960 models.
- Insulated handle.
- Spouts come with 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included.

LK543

Model	Spout Type	Handle Type
LK543LC	30" Flexible Spout	Lever Handle



LK543LC

LK543 with arc tube spout - low flow models (1.2 GPM)

Model	Spout Type	Handle Type
LK543AF08LC	30" Flexible Spout	Lever Handle
LK543AF10LC	30" Flexible Spout	Lever Handle
LK543AF12LC	30" Flexible Spout	Lever Handle
LK543AF14LC	30" Flexible Spout	Lever Handle



LK543AF08LC

LK843

Model	Spout Type	Handle Type
LK843LC	30" Flexible Spout	Lever Handle



LK843LC

LK843 with arc tube spout - low flow models (1.2 GPM)

Model	Spout Type	Handle Type
LK843AF08LC	30" Flexible Spout	Lever Handle
LK843AF10LC	30" Flexible Spout	Lever Handle
LK843AF12LC	30" Flexible Spout	Lever Handle
LK843AF14LC	30" Flexible Spout	Lever Handle



LK843AF10LC

LK943

Model	Spout Type	Handle Type
LK943LC	30" Flexible Spout	Lever Handle



LK943LC

LK943 with arc tube spout - low flow models (1.2 GPM)

Model	Spout Type	Handle Type
LK943AF08LC	30" Flexible Spout	Lever Handle
LK943AF10LC	30" Flexible Spout	Lever Handle
LK943AF12LC	30" Flexible Spout	Lever Handle
LK943AF14LC	14" Flexible Spout	Lever Handle



LK943AF08LC

LK960 with arc tube spout - low flow models (1.2 GPM)

Model	Spout Type	Handle Type
LK960AF08LC	30" Flexible Spout	Lever Handle
LK960AF10LC	30" Flexible Spout	Lever Handle
LK960AF12LC	30" Flexible Spout	Lever Handle
LK960AF14LC	30" Flexible Spout	Lever Handle



LK960AF08LC



LAVATORY

Designed to stand up to frequent and heavy use, our lavatory faucets perform well in high-traffic, commercial restrooms. Select from twin handle- and single-control 4" centerset faucets with or without pop up or 8" centerset faucets for more of a designer look. There are options for all types of public restrooms.

4" Centerset With Exposed Deck and Integral Spout Faucet

- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- L4, L7 single control models available with 4" or 7" wristblade handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 0.5 GPM aerator standard.
- Chrome finish.



Twin handle

Model	Spout Type	Handle Type
LK402L2	3-11/16" Fixed Spout	2" Lever Handle
LK402T4	3-11/16" Fixed Spout	4" Wristblade Handle
LK402T6	3-11/16" Fixed Spout	6" Wristblade Handle



Twin handle with pop-up drain

Model	Spout Type	Handle Type
LK403L2	3-11/16" Fixed Spout	2" Lever Handle
LK403T4	3-11/16" Fixed Spout	4" Wristblade Handle
LK403T6	3-11/16" Fixed Spout	6" Wristblade Handle



Single control

Model	Spout Type	Handle Type
LK422L4	4-3/4" Fixed Spout	4" Wristblade Handle
LK422L7	4-3/4" Fixed Spout	7" Wristblade Handle



Single control with pop-up drain

Model	Spout Type	Handle Type
LK423L4	4-3/4" Fixed Spout	4" Wristblade Handle
LK423L7	4-3/4" Fixed Spout	7" Wristblade Handle



8" Centerset With Concealed Deck Faucet

- Cast fixed spout.
- 2" lever handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- .5 GPM aerator standard.
- Chrome finish.
- Adjustable mounting up to 8" spread.

Executive lavatory faucet

Model	Spout Type	Handle Type
LK804F	5-5/16" Fixed Spout	Lever Handle



Metered, Deck Mount Faucet

- Self-closing metering ceramic cartridge.
- Polished chrome finish.
- Solid brass construction.
- Vandal-resistant aerator with key.
- 0.5 GPM/8.3L/min at 60 P.S.I.G.
- 0.25 gal/cycle max.

Cast fixed spout LK651

Model	Spout Type	Handle Type
LK651	5" Fixed Spout	Push Button



Cast fixed spout LK652

Model	Spout Type	Handle Type
LK652	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK654

Model	Spout Type	Handle Type
LK654	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK656

Model	Spout Type	Handle Type
LK656	4" Fixed Spout	Push Button



Electronic Deck Mount Faucet

- Dual power (AC/battery).
- Adjustable sensor range.
- 0.5 GPM laminar flow aerator.
- Chrome-plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut off delay.
- Adjustable time out feature.



LKB737C

Cast fixed spout 

Model	Spout Type	Handle Type
LKB736C	4-3/4" Fixed Spout	Sensor Operated (Hands Free)
LKB737C	5-1/16" Fixed Spout	Sensor Operated (Hands Free)



LKB736C

Electronic Deck Mount Faucet

- Adjustable hot and cold operation.
- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome-plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut off delay.
- Adjustable time out feature.

Cast fixed spout 

Model	Spout Type	Handle Type
LKB738C	5-13/16" Fixed Spout	Sensor Operated (Hands Free)



LKB738C



SCRUB AND HAND WASH

Keeping the hands of frontline workers clean, our scrub and hand wash faucets are made specially for health care facilities — hospitals, doctors' offices — you name it. This product line includes standard manual faucets, foot-operated models and even hands-free faucets, equipped with sensor activation for a touchless, more hygienic experience.

Electronic, Deck and Wall Mount Faucet

- Dual power (AC/battery).
- Gooseneck spout.
- Adjustable sensor range.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut off delay.
- Adjustable time out feature.
- 1.5 GPM flow.

Deck mount - chrome-plated finish

Model	Spout Type	Handle Type
LKB721C	5-5/8" Gooseneck	Sensor Operated (Hands Free)



LKB721C

Deck mount - soft rose blush finish with CuVerro antimicrobial copper

Model	Spout Type	Handle Type
LKB721CNC	5-5/8" Gooseneck	Sensor Operated (Hands Free)



LKB721CNC

Wall mount - chrome finish


Model	Spout Type	Handle Type
LKB722C	7-1/2" Fixed Spout	Sensor Operated (Hands Free)




LKB722C

4" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK406 with arc tube spout

Model	Spout Type	Handle Type
LK406AT08L2	8" Arc Tube	2" Lever Handle
LK406AT08T4	8" Arc Tube	4" Wristblade Handle
LK406AT08T6	8" Arc Tube	6" Wristblade Handle
LK406AT10L2	10" Arc Tube	2" Lever Handle
LK406AT10T4 	10" Arc Tube	4" Wristblade Handle
LK406AT10T6	10" Arc Tube	6" Wristblade Handle
LK406AT12L2	12" Arc Tube	2" Lever Handle
LK406AT12T4	12" Arc Tube	4" Wristblade Handle
LK406AT12T6	12" Arc Tube	6" Wristblade Handle
LK406AT14L2	14" Arc Tube	2" Lever Handle
LK406AT14T4	14" Arc Tube	4" Wristblade Handle
LK406AT14T6	14" Arc Tube	6" Wristblade Handle



LK406 with gooseneck spout

Model	Spout Type	Handle Type
LK406GN04L2	4" Gooseneck	2" Lever Handle
LK406GN04T4	4" Gooseneck	4" Wristblade Handle
LK406GN04T6	4" Gooseneck	6" Wristblade Handle
LK406GN05L2	5" Gooseneck	2" Lever Handle
LK406GN05T4	5" Gooseneck	4" Wristblade Handle
LK406GN05T6	5" Gooseneck	6" Wristblade Handle
LK406GN08L2	8" Gooseneck	2" Lever Handle
LK406GN08T4	8" Gooseneck	4" Wristblade Handle
LK406GN08T6	8" Gooseneck	6" Wristblade Handle



4" Centerset With Exposed Deck Faucet

LK406 with high arc spout

Model	Spout Type	Handle Type
LK406HA08L2	8" High Arc	2" Lever Handle
LK406HA08T4	8" High Arc	4" Wristblade Handle
LK406HA08T6	8" High Arc	6" Wristblade Handle
LK406HA10L2	10" High Arc	2" Lever Handle
LK406HA10T4	10" High Arc	4" Wristblade Handle
LK406HA10T6	10" High Arc	6" Wristblade Handle



LK406HA10L2

LK406 with laminar flow gooseneck spout

Model	Spout Type	Handle Type
LK406LGN05L2	5" Gooseneck	2" Lever Handle
LK406LGN05T4	5" Gooseneck	4" Wristblade Handle
LK406LGN05T6	5" Gooseneck	6" Wristblade Handle
LK406LGN08L2	8" Gooseneck	2" Lever Handle
LK406LGN08T4	8" Gooseneck	4" Wristblade Handle
LK406LGN08T6	8" Gooseneck	6" Wristblade Handle



LK406LGN05T4

LK406 with tube spout

Model	Spout Type	Handle Type
LK406TS08L2	8" Tube Spout	2" Lever Handle
LK406TS08T4	8" Tube Spout	4" Wristblade Handle
LK406TS08T6	8" Tube Spout	6" Wristblade Handle




LK406TS08L2

Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck or high arc spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Dual control.





LK500 with arc tube spout

Model	Spout Type	Handle Type
LK500AT08L2 	8" Arc Tube	2" Lever Handle
LK500AT08T4	8" Arc Tube	4" Wristblade Handle
LK500AT08T6	8" Arc Tube	6" Wristblade Handle
LK500AT10L2	10" Arc Tube	2" Lever Handle
LK500AT10T4	10" Arc Tube	4" Wristblade Handle
LK500AT10T6	10" Arc Tube	6" Wristblade Handle
LK500AT12L2	12" Arc Tube	2" Lever Handle
LK500AT12T4	12" Arc Tube	4" Wristblade Handle
LK500AT12T6	12" Arc Tube	6" Wristblade Handle
LK500AT14L2	14" Arc Tube	2" Lever Handle
LK500AT14T4	14" Arc Tube	4" Wristblade Handle
LK500AT14T6	14" Arc Tube	6" Wristblade Handle



Single Hole With Concealed Deck Faucet

LK500 with gooseneck spout

Model	Spout Type	Handle Type
LK500GN04L2	4" Gooseneck	2" Lever Handle
LK500GN04T4	4" Gooseneck	4" Wristblade Handle
LK500GN04T6	4" Gooseneck	6" Wristblade Handle
LK500GN05L2	5" Gooseneck	2" Lever Handle
LK500GN05T4	5" Gooseneck	4" Wristblade Handle
LK500GN05T6	5" Gooseneck	6" Wristblade Handle
LK500GN08L2	8" Gooseneck	2" Lever Handle
LK500GN08T4 	8" Gooseneck	4" Wristblade Handle
LK500GN08T6 	8" Gooseneck	6" Wristblade Handle



LK500GN05T4

LK500 with high arc spout

Model	Spout Type	Handle Type
LK500HA08L2	8" High Arc	2" Lever Handle
LK500HA08T4	8" High Arc	4" Wristblade Handle
LK500HA08T6	8" High Arc	6" Wristblade Handle
LK500HA10L2	10" High Arc	2" Lever Handle
LK500HA10T4	10" High Arc	4" Wristblade Handle
LK500HA10T6	10" High Arc	6" Wristblade Handle



LK500HA10T6

LK500 with laminar flow gooseneck spout

Model	Spout Type	Handle Type
LK500LGN05L2	5" Gooseneck	2" Lever Handle
LK500LGN05T4	5" Gooseneck	4" Wristblade Handle
LK500LGN05T6	5" Gooseneck	6" Wristblade Handle
LK500LGN08L2	8" Gooseneck	2" Lever Handle
LK500LGN08T4	8" Gooseneck	4" Wristblade Handle
LK500LGN08T6	8" Gooseneck	6" Wristblade Handle




LK500LGN05T4

8" Centerset Wall Mount Faucet

- Gooseneck spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut off valve available with some models.



LK940 with gooseneck spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940GN04L2H	3-5/8" Gooseneck	2" Lever Handle	
LK940GN04L2S	3-5/8" Gooseneck	2" Lever Handle	■
LK940GN04T4H	3-5/8" Gooseneck	4" Wristblade Handle	
LK940GN04T4S	3-5/8" Gooseneck	4" Wristblade Handle	■
LK940GN04T6H	3-5/8" Gooseneck	6" Wristblade Handle	
LK940GN04T6S	3-5/8" Gooseneck	6" Wristblade Handle	■
LK940GN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940GN05L2S	5-1/8" Gooseneck	2" Lever Handle	■
LK940GN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940GN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	■
LK940GN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940GN05T6S 	5-1/8" Gooseneck	6" Wristblade Handle	■
LK940GN08L2H	8" Gooseneck	2" Lever Handle	
LK940GN08L2S	8" Gooseneck	2" Lever Handle	■
LK940GN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940GN08T4S	8" Gooseneck	4" Wristblade Handle	■
LK940GN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940GN08T6S	8" Gooseneck	6" Wristblade Handle	■



8" Centerset Wall Mount Faucet

LK940 with laminar flow gooseneck spout 


Model	Spout Type	Handle Type	Shut Off Valve
LK940LGN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940LGN05L2S	5-1/8" Gooseneck	2" Lever Handle	■
LK940LGN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940LGN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	■
LK940LGN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940LGN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	■
LK940LGN08L2H	8" Gooseneck	2" Lever Handle	
LK940LGN08L2S	8" Gooseneck	2" Lever Handle	■
LK940LGN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940LGN08T4S	8" Gooseneck	4" Wristblade Handle	■
LK940LGN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940LGN08T6S	8" Gooseneck	6" Wristblade Handle	■



LK940LGN05L2H

8" Centerset With Concealed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Adjustable mounting up to 8" spread.



LK800 with arc tube spout

Model	Spout Type	Handle Type	Side Spray
LK800AT08L2	8" Arc Tube	2" Lever Handle	
LK800AT08T4	8" Arc Tube	4" Wristblade Handle	
LK800AT08T6	8" Arc Tube	6" Wristblade Handle	
LK800AT10L2	10" Arc Tube	2" Lever Handle	
LK800AT10T4	10" Arc Tube	4" Wristblade Handle	
LK800AT10T6	10" Arc Tube	6" Wristblade Handle	
LK800AT12L2	12" Arc Tube	2" Lever Handle	
LK800AT12T4	12" Arc Tube	4" Wristblade Handle	
LK800AT12T6	12" Arc Tube	6" Wristblade Handle	
LK800AT14L2	14" Arc Tube	2" Lever Handle	
LK800AT14T4	14" Arc Tube	4" Wristblade Handle	
LK800AT14T6	14" Arc Tube	6" Wristblade Handle	
LK801AT08L2	8" Arc Tube	2" Lever Handle	■



LK800AT08T4

8" Centerset With Concealed Deck Faucet

LK800 with gooseneck spout

Model	Spout Type	Handle Type	Side Spray
LK800GN04L2	3-5/8" Gooseneck	2" Lever Handle	
LK800GN04T4	3-5/8" Gooseneck	4" Wristblade Handle	
LK800GN04T6	3-5/8" Gooseneck	6" Wristblade Handle	
LK800GN05L2	5" Gooseneck	2" Lever Handle	
LK800GN05T4	5" Gooseneck	4" Wristblade Handle	
LK800GN05T6	5" Gooseneck	6" Wristblade Handle	
LK800GN08L2	8" Gooseneck	2" Lever Handle	
LK800GN08T4	8" Gooseneck	4" Wristblade Handle	
LK800GN08T6	8" Gooseneck	6" Wristblade Handle	
LK801GN08L2	8" Gooseneck	2" Lever Handle	■



LK800GN05T4

LK800 with high arc spout

Model	Spout Type	Handle Type
LK800HA08L2	8" High Arc	2" Lever Handle
LK800HA08T4	8" High Arc	4" Wristblade Handle
LK800HA08T6	8" High Arc	6" Wristblade Handle
LK800HA10L2	10" High Arc	2" Lever Handle
LK800HA10T4	10" High Arc	4" Wristblade Handle
LK800HA10T6	10" High Arc	6" Wristblade Handle



LK800HA08T4

LK800 with tube spout

Model	Spout Type	Handle Type
LK800TS08L2	8" Tube Spout	2" Lever Handle
LK800TS08T4	8" Tube Spout	4" Wristblade Handle
LK800TS08T6	8" Tube Spout	6" Wristblade Handle



LK800TS08L2

8" Centerset With Concealed Deck Faucet

LK800 with laminar flow gooseneck spout 

Model	Spout Type	Handle Type
LK800LGN05L2	5" Gooseneck	2" Lever Handle
LK800LGN05T4	5" Gooseneck	4" Wristblade Handle
LK800LGN05T6	5" Gooseneck	6" Wristblade Handle
LK800LGN08L2	8" Gooseneck	2" Lever Handle
LK800LGN08T4	8" Gooseneck	4" Wristblade Handle
LK800LGN08T6	8" Gooseneck	6" Wristblade Handle



Spouts

- For use with Elkay knee and foot pedal valves.
- Solid brass construction.
- Chrome-plated finish.
- Vandal-resistant anti-hose aerator.

Back mount spout

Model
LK395A



Deck mount spout

Model
LK394A
LK396A



Knee and Foot Pedal Valves

- Chrome-plated finish.
- Hands-free operation for enhanced sanitation.
- Mounting package of stops, valves and wall flanges included with LK397C and LK398C.

Foot pedal

Model
LK398C
LK399A



Knee pedal

Model
LK397C





SERVICE AND UTILITY

When it comes to indoor and outdoor facility maintenance, look to Elkay for your industrial faucet needs. We offer a variety of inlets and spout options that include bucket hooks and vacuum breakers to accommodate the array of installation requirements.

8" Centerset Wall Mount Faucet

- Available with bucket hook, arc tube or vented spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut off valve available with some models.



LK940 with bucket hook spout and polished chrome finish

Model	Spout Type	Handle Type	Shut Off Valve
LK940BP03L2H	3-5/16" Bucket Hook	2" Lever Handle	
LK940BP03L2S	6" Bucket Hook	2" Lever Handle	■
LK940BP03T4H	3-5/16" Bucket Hook	4" Wristblade Handle	
LK940BP03T4S	3-5/16" Bucket Hook	4" Wristblade Handle	■
LK940BP03T6H	3-5/16" Bucket Hook	6" Wristblade Handle	
LK940BP03T6S	3-5/16" Bucket Hook	6" Wristblade Handle	■
LK940BP07L2H	6-1/2" Bucket Hook	2" Lever Handle	
LK940BP07L2S	6-1/2" Bucket Hook	2" Lever Handle	■
LK940BP07T4H	6-1/2" Bucket Hook	4" Wristblade Handle	
LK940BP07T4S	6-1/2" Bucket Hook	4" Wristblade Handle	■
LK940BP07T6H	6-1/2" Bucket Hook	6" Wristblade Handle	
LK940BP07T6S	6-1/2" Bucket Hook	6" Wristblade Handle	■



8" Centerset Wall Mount Faucet

LK940 with bucket hook spout and rough chrome finish

Model	Spout Type	Handle Type	Shut Off Valve
LK940BR03L2H	6" Bucket Hook	2" Lever Handle	
LK940BR03L2S	6" Bucket Hook	2" Lever Handle	■
LK940BR03T4H	6" Bucket Hook	4" Wristblade Handle	
LK940BR03T4S	6" Bucket Hook	4" Wristblade Handle	■
LK940BR03T6H	6" Bucket Hook	6" Wristblade Handle	
LK940BR03T6S	6" Bucket Hook	6" Wristblade Handle	■
LK940BR07L2H	8-1/2" Bucket Hook	2" Lever Handle	
LK940BR07L2S	8-1/2" Bucket Hook	2" Lever Handle	■
LK940BR07T4H	8-1/2" Bucket Hook	4" Wristblade Handle	
LK940BR07T4S	8-1/2" Bucket Hook	4" Wristblade Handle	■
LK940BR07T6H	8-1/2" Bucket Hook	6" Wristblade Handle	
LK940BR07T6S	8-1/2" Bucket Hook	6" Wristblade Handle	■



LK940BR03L2H

LK940 with vented spout

Model	Spout Type	Handle Type	Shut Off Valve
LK940VS07L2H	6-1/2" Vented Spout	2" Lever Handle	
LK940VS07L2S	6-1/2" Vented Spout	2" Lever Handle	■
LK940VS07T4H	6-1/2" Vented Spout	4" Wristblade Handle	
LK940VS07T4S	6-1/2" Vented Spout	4" Wristblade Handle	■
LK940VS07T6H	6-1/2" Vented Spout	6" Wristblade Handle	
LK940VS07T6S	6-1/2" Vented Spout	6" Wristblade Handle	■



LK940VS07T4H

LK940 with arc tube spout

Model	Spout Type	Handle Type
LK940AT08L2H	8" Arc Tube	2" Lever Handle



LK940AT08L2H

Single Hole Wall Mount Faucet

- Cross arm handle.
- Chrome-plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end

Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



LK69CH

Chrome faucet with plain end

Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets

Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle



LK69C

3"-8" Adjustable Centers Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.

LK945 with bucket hook spout

Model	Spout Type	Handle Type
LK945BP03L2T	3-5/16" Bucket Hook	2" Lever Handle
LK945BP03T4T	3-5/16" Bucket Hook	4" Wristblade Handle
LK945BP03T6T	3-5/16" Bucket Hook	6" Wristblade Handle
LK945BP07L2T	6-1/2" Bucket Hook	2" Lever Handle
LK945BP07T4T	6-1/2" Bucket Hook	4" Wristblade Handle
LK945BP07T6T	6-1/2" Bucket Hook	6" Wristblade Handle



LK945BP07L2T

LK945 with vented spout

Model	Spout Type	Handle Type
LK945VS07L2T	6-1/2" Vented Spout	2" Lever Handle
LK945VS07T4T	6-1/2" Vented Spout	4" Wristblade Handle
LK945VS07T6T	6-1/2" Vented Spout	6" Wristblade Handle



LK945VS07L2T

4"-8-3/8" Adjustable Centers Wall Mount Faucet

- Bucket hook spout.
- 2" lever handles.
- Solid brass construction.
- Rough chrome finish.
- 1/2" NPT female inlets.



Model	Spout Type	Handle Type
LK400	5-1/2" Bucket Hook	Lever Handle




LK400

8" Centerset Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Rough chrome finish.



Model	Spout Type	Handle Type
LKB940C 	6-1/2" Fixed Spout	2" Lever Handle



LKB940C



CLASSROOM


Enhance teaching and learning with Elkay classroom faucets that make great additions to sinks in art rooms, science labs and more. Choose from rigid or swing spouts, deck or concealed undermount and don't forget a classroom bubbler to encourage hydration.

Single Hole With Single Control

- Available with arc tube, gooseneck or high arc spout.
- Choice of 2" lever, 4" wristblade or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK535 with arc tube spout





Model	Spout Type	Handle Type
LK535AT08L2	8" Arc Tube	2" Lever Handle
LK535AT08T4 	8" Arc Tube	4" Wristblade Handle
LK535AT08T6	8" Arc Tube	6" Wristblade Handle
LK535AT10L2	10" Arc Tube	2" Lever Handle
LK535AT10T4	10" Arc Tube	4" Wristblade Handle
LK535AT10T6	10" Arc Tube	6" Wristblade Handle
LK535AT12L2	12" Arc Tube	2" Lever Handle
LK535AT12T4	12" Arc Tube	4" Wristblade Handle
LK535AT12T6	12" Arc Tube	6" Wristblade Handle
LK535AT14L2	14" Arc Tube	2" Lever Handle
LK535AT14T4	14" Arc Tube	4" Wristblade Handle
LK535AT14T6	14" Arc Tube	6" Wristblade Handle



LK535AT10T4

Single Hole With Single Control


LK535 with gooseneck spout

Model	Spout Type	Handle Type
LK535GN04L2	4" Gooseneck	2" Lever Handle
LK535GN04T4	4" Gooseneck	4" Wristblade Handle
LK535GN04T6	4" Gooseneck	6" Wristblade Handle
LK535GN05L2 	5" Gooseneck	2" Lever Handle
LK535GN05T4	5" Gooseneck	4" Wristblade Handle
LK535GN05T6	5" Gooseneck	6" Wristblade Handle
LK535GN08L2 	8" Gooseneck	2" Lever Handle
LK535GN08T4 	8" Gooseneck	4" Wristblade Handle
LK535GN08T6 	8" Gooseneck	6" Wristblade Handle



LK535GN04L2

LK535 with high arc spout

Model	Spout Type	Handle Type
LK535HA08L2 	8" High Arc	2" Lever Handle
LK535HA08T4	8" High Arc	4" Wristblade Handle
LK535HA08T6	8" High Arc	6" Wristblade Handle
LK535HA10L2	10" High Arc	2" Lever Handle
LK535HA10T4 	10" High Arc	4" Wristblade Handle
LK535HA10T6	10" High Arc	6" Wristblade Handle



LK535HA08L2

Classroom Bubblers

- Built-in adjustable water volume control and pressure regulator.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers feature chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.
- 1/2" straight pipe thread connection.

Bubbler with remote pushbutton handle

Model	Spout Type	Handle Type
LKR1141A	Bubblers + Other	Push Button



LK1141A

Stainless steel bubbler with pushbutton handle

Model	Spout Type	Handle Type	Vandal Resistant
LKSS1141A	Bubblers + Other	Push Button	
LKSSVR1141A	Bubblers + Other	Push Button	■



LKSSVR1141A

Bubbler with pushbutton handle

Model	Spout Type	Handle Type	Vandal Resistant
LK1141A	Bubblers + Other	Push Button	
LKVR1141A	Bubblers + Other	Push Button	■



LK1141A

Bubbler with bat handle

Model	Spout Type	Handle Type	Vandal Resistant
LKBH1141A	Bubblers + Other	2" Lever Handle	
LKVRBH1141A	Bubblers + Other	2" Lever Handle	■



LKVRBH1141A



GENERAL USE


Elkay general use faucets make ideal solutions for lighter-duty areas such as teachers' lounges and office kitchenettes. This collection includes a wide range of kitchen and hospitality faucets needed for public spaces that don't necessarily require commercial-grade products.

Single Handle, Concealed Deck Faucet

- Removable ceramic disc cartridge.
- Quick-connect side spray fittings for fast installation.
- 1.5 GPM vandal-resistant flow regulator installed (2.2 GPM flow regulator also included).
- 360-degree spout rotation.
- 3/8" copper tube supplies with 1/2" male IPS adaptors.
- 2-1/2" maximum countertop thickness.
- Chrome-plated finish.

LK3001CR

Model	Spout Type	Handle Type	Side Spray
LK3001CR	8" Standard Spout	Remote Lever Handle	■



LK3000CR

Model	Spout Type	Handle Type
LK3000CR	8" Standard Spout	Remote Lever Handle



LK1501CR

Model	Spout Type	Handle Type	Side Spray
LK1501CR	8" Standard Spout	Lever Handle	■



LK1500CR

Model	Spout Type	Handle Type
LK1500CR	8" Standard Spout	Lever Handle



LKF413945RS

Model	Spout Type	Handle Type
LKF413945RS	8" Fixed Spout	Remote Lever Handle



Single Handle, Pull-Out/Pull-Down/Flexible Faucet

- Removable ceramic disc cartridge.
- Quick-connect side spray fittings for fast installation.
- 1.5 GPM vandal-resistant flow regulator installed (2.2 GPM flow regulator also included).
- Color-coded braided stainless steel supplies with female 3/8" compression fittings and 1/2" male IPS adaptors.
- 2-1/2" maximum countertop thickness.
- 1- or 3-hole installation (includes optional 3-hole cover plate).
- Matching soap dispensers: LK315 or LK320 (not included).
- Chrome (CR) or Lustrous Steel (LS) finish.

LK2500CR

Model	Spout Type	Handle Type
LK2500CR	8-3/8" Flexible Spout	Forward Only Lever Handle



LK2500CR


LK5000

Model	Spout Type	Handle Type
LK5000CR	9-1/2" Pull-out Spray	Lever Handle
LK5000LS	9-1/2" Pull-out Spray	Lever Handle



LK5000LS

LK6000

Model	Spout Type	Handle Type
LK6000CR	9" Pull-down Spray	Forward Only Lever Handle
LK6000LS 	9" Pull-down Spray	Forward Only Lever Handle



LK6000CR

8" Centerset, Concealed Deck, With Twin Handles Faucet

- Choice of 3 spout styles.
- Removable cartridge.
- Chrome-plated finish.
- Swing spout with aerator.
- Water-saving flow restrictor.

7" arc tube spout

Model	Spout Type	Handle Type
LKD2439BHC	7" Arc Tube	4" Lever Handle
LKD2439C	7" Arc Tube	2.6" Lever Handle



LKD2439BHC

8" arc tube spout

Model	Spout Type	Handle Type	Side Spray
LKD2432BHC	8" Arc Tube	4" Lever Handle	
LKD2432C	8" Arc Tube	2.6" Lever Handle	
LKD2433C	8" Arc Tube	2.6" Lever Handle	■



LKD2432BHC

7" gooseneck spout

Model	Spout Type	Handle Type
LKD232SBH5C	7" Gooseneck	4" Lever Handle
LKD232SC	7" Gooseneck	2.6" Lever Handle



LKD232SC

8" Centerset, Exposed Deck Mount, With Twin Handles Faucet

- Available with arc tube or gooseneck spout.
- Removable cartridge.
- Chrome-plated finish.
- Swing spout with aerator.
- Water-saving flow restrictor.

Arc tube spout

Model	Spout Type	Handle Type	Side Spray
LKD2442BHC	8" Arc Tube	4" Lever Handle	
LKD2442C	8" Arc Tube	2.6" Lever Handle	
LKD2443C	8" Arc Tube	2.6" Lever Handle	■



LKD2442C

Gooseneck spout

Model	Spout Type	Handle Type
LKD2423BHC	7" Gooseneck	4" Lever Handle



LKD2423BHC

Single Handle, Deck Mount Faucet

- Removable ceramic disc cartridge.
- Quick-connect side spray fittings for fast installation.
- 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included).
- 3/8" copper tube supplies with 1/2" male IPS adaptors.
- 360-degree spout rotation.
- 2-1/2" maximum countertop thickness.
- Chrome-plated finish.
- Vandal-resistant models (VR) include aerator, handle screw and factory-installed anti-rotation pins.

LK1000CR

Model	Spout Type	Handle Type
LK1000CR	8" Standard Spout	Lever Handle



LK1000CR

LK1001CR

Model	Spout Type	Handle Type	Side Spray
LK1001CR	8" Standard Spout	Lever Handle	■



LK1001CR

LK2478CR

Model	Spout Type	Handle Type	Side Spray
LK2478CR	8-1/8" Standard Spout	Lever Handle	■



LK2478CR

Single Handle, Bar/Hospitality Faucet

- Available with gooseneck or high arc spout.
- Circular brass base.
- Removable cartridge.
- Chrome-plated finish.
- Water-saving flow restrictor.

LKD20858C

Model	Spout Type	Handle Type
LKD20858C	5" Gooseneck	2.6" Lever Handle



LKD20858C

LKD208513C

Model	Spout Type	Handle Type
LKD208513C	5" Gooseneck	2.6" Lever Handle



LKD208513C

Single Handle, Bar/Hospitality Faucet

LKD208513LC

Model	Spout Type	Handle Type
LKD208513LC	5" Gooseneck	2.6" Lever Handle



LKD208513LC

LKDVR208513C

Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513C	5" Gooseneck	2.6" Lever Handle	■



LKDVR208513C

LKDVR208513LC

Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513LC	5" Gooseneck	2.6" Lever Handle	■



LKDVR208513LC

Twin Handle, Bar/Hospitality Faucet

- Choice of arc, gooseneck or standard spout.
- Removable cartridge.
- Chrome-plated finish.
- Water-saving flow restrictor.


LKD2437BHC

Model	Spout Type	Handle Type
LKD2437BHC	6" Arc Tube	4" Lever Handle



LKD2437BHC


LKDA2437C

Model	Spout Type	Handle Type
LKDA2437C 	6" Arc Tube	2.6" Lever Handle



LKDA2437C

LKD2223C 

Model	Spout Type	Handle Type
LKD2223C 	5" Gooseneck	2.6" Lever Handle



LKD2223C

LKD24898BHC 

Model	Spout Type	Handle Type
LKD24898BHC	4" Gooseneck	4" Lever Handle



LKD24898BHC

LKA2475LF

Model	Spout Type	Handle Type
LKA2475LF	3-7/16" Standard Spout	Clear Crystalac Handle



LKA2475LF

Twin Handle, Bar/Hospitality Faucet

LK2477CR 

Model	Spout Type	Handle Type
LK2477CR	3-9/16" Standard Spout	Lever Handle



LK2477CR

LK2000CR 

Model	Spout Type	Handle Type
LK2000CR	6-5/8" Standard Spout	Lever Handle



LK2000CR

LKB400 

Model	Spout Type	Handle Type
LKB400	3-1/2" Bubblers + Other	2" Lever Handle





LKB400






ACCESSORIES

It's the extras that give our commercial faucets their strong reputation for quality and performance. Mix and match spouts, handles, aerators and other accessories with our faucet bodies — all pieces designed to withstand harsh use of commercial applications.

Arc tube spout

Model	Description	Image
A55393	Elkay Spout - 8" Arc Tube	
A55395	Elkay Spout - 10" Arc Tube	
A55399	Elkay Spout - 12" Arc Tube	

Gooseneck spout

Model	Description	Image
A55397	Elkay Spout - 3-1/2" Gooseneck	
A55401	Elkay Spout - 5.3" Gooseneck	
A55403	Elkay Spout - 8" Gooseneck	



Bucket hook spout

Model	Description	Image
A55404	Elkay Spout - 3" Bucket Hook Polished	
A55405	Elkay Spout - 3" Bucket Hook as Cast	
A55406	Elkay Spout - 7" Bucket Hook Polished with Support Arm	
A55407	Elkay Spout - 7" Bucket Hook Polished	


Double swing spout

Model	Description	Image
A55411	Elkay Spout - 20" Double Swing	





High arc spout

Model	Description	Image
A55445	Elkay Spout - 10" High Arc Tube	
A55446	Elkay Spout - 8" High Arc Tube	

Vented spout

Model	Description	Image
A55468	Elkay Spout - 7" Vacuum Break Tube Spout	


Add-on faucet handles

Model	Description	Image
45918C	Elkay Faucet Handle- 2" with Square Mounting Hole Faucet	
45919C	Elkay Faucet Handle - 4" Wristblade with Square Mounting Hole Faucet (Pair)	
45920C	Elkay Faucet Handle - 6" Wristblade with Square Mounting Hole Faucet (Pair)	
45934C	Elkay Add-on Faucet Body Less Spout	



Aerators

Model	Description	Image
LK733	Elkay 2.2 GPM Vandal Resistant Aerator Replacement Kit	

Aerators

Model	Description	Image
LK735	Elkay 1.5 gpm Vandal Resistant Aerator	






Cartridges

Model	Description	Image
45923C	Elkay Faucet Ceramic Cartridge Short Stem Square Mounting Cold	
45924C	Elkay Faucet Ceramic Cartridge Short Stem Square Mounting Hot	

Backsplash mounting kit

Model	Description	Image
LKMK462	Elkay 90 Degree Mounting Kit	

Sensor-operated faucet accessories

Model	Description	Image
LK105CR	Elkay Faucet Air Gap Chrome (CR)	
LK105LS	Elkay Faucet Air Gap Lustrous Steel (LS)	
LK723	Elkay Anti-scald Thermostatic Faucet Mixing Valve	
LK724	Elkay Faucet Mixing Valve	
LK731	Elkay Commercial Institutional Faucet	



About Elkay

For more than 100 years, Elkay Manufacturing has been making innovative products and providing exceptional customer care. We take pride in offering plumbing products that make life easier, inspire change and leave the world a better place.

Headquartered in Downers Grove, Illinois, Elkay is American owned and operated, providing thousands of jobs that support our families and communities. We are proud to be America's No. 1 selling kitchen sink company, as well as a leading manufacturer of award-winning water delivery products, including the ezH2O® bottle filling station.

For spec sheets and more information, visit elkay.com/commercial-faucets



This symbol means model is ADA compliant when properly installed. See specifications sheet for details.

ELKAY®

1333 Butterfield Rd, Suite 200 | Downers Grove IL 60515
630.574.8484 | elkay.com | ©2022 Elkay Manufacturing Company

(4/22) F-6278